

The `apxproof` package

Pierre Senellart

`pierre@senellart.com`

<http://github.com/PierreSenellart/apxproof>

2026/05/14 v1.4.0

Abstract

This package makes it easier to write articles where proofs and other material are deferred to the appendix. The appendix material is written in the \LaTeX code along with the main text which it naturally complements, and it is automatically deferred. The package can automatically send proofs to the appendix, can repeat in the appendix the theorem environments stated in the main text, can section the appendix automatically based on the sectioning of the main text, and supports a separate bibliography for the appendix material.

1 Usage

The `apxproof` package is intended to simplify the writing of articles where some of the content needs to be deferred to an appendix. This is in particular useful for the submission of scientific articles to conferences or journals that limit the number of pages in the main text but allow an extra appendix, where proofs of theorems and other material can be added.

1.1 Basics

To use `apxproof`, first load it in the header of your document:

```
\usepackage{apxproof}
```

On its own, this does not do anything and should not change the appearance of your document. To add an appendix with some material from your document, use the `toappendix` environment:

```
toappendix (env.) \begin{toappendix}
                  ...
                  \end{toappendix}
```

The content will appear at the end of your document, in an automatically generated section that refers to the current section in the main text.

Example 1. *Throughout this documentation, all examples produce content deferred to the appendix, at the very end of this document.*

```
\begin{toappendix}
```

```
This content is in the appendix.
\end{toappendix}
```

When the content to put in appendix is an entire section, make sure that `\section` is the very first command that appears within the `toappendix` environment. It will disable the automatic production of a section heading.

1.2 Repeated Theorems and Proofs

In some scientific papers that include proofs, it is common to defer proofs to the appendix. This can easily be achieved using the `appendixproof` environment:

```
appendixproof (env.)    \begin{appendixproof}
                        ...
                        \end{appendixproof}
```

This behaves like the `toappendix` environment, except that a proof environment is generated.

Example 2. *We now send a proof to the appendix:*

```
\begin{appendixproof}
This proof is in the appendix.
\end{appendixproof}
```

When deferring proofs to the appendix, an annoying problem is that the statement of the theorem remains in the main text; it is hard to read a proof that is far away from the statement it proves. `apxproof` offers two ways to address this.

`\newtheoremrep` With `\newtheoremrep`, the statement of the theorem is *repeated* in the appendix, immediately above the deferred proof. With the starred variant `\newtheoremrep*`, the theorem is *not* repeated, but the proof is still automatically deferred to the appendix; this is convenient when the proofs are short enough or close enough to the main text that a restatement would be redundant, especially when combined with the `\appendixproofname` hook (see Section 1.5) to title proofs with the type and number of the theorem they refer to (e.g., “Proof of Theorem 1”). In summary, three behaviors are available for a theorem environment:

`\newtheorem` (L^AT_EX’s standard command): the theorem appears in the main text only; the `proof` environment is left unchanged by `apxproof`.

`\newtheoremrep` : the theorem appears in the main text *and* is restated in the appendix above its proof; the `proof` that follows in the source is automatically deferred to the appendix.

`\newtheoremrep*` : the theorem appears in the main text only; the `proof` that follows is automatically deferred to the appendix, without restating the theorem there.

In all cases, theorems can share counters and a single document can mix the three behaviors freely.

To use the repeated-theorem feature, you can define a new *repeated theorem* environment using the `\newtheoremrep` command:

`\newtheoremrep` `\newtheoremrep{⟨name⟩}[⟨counter⟩]{⟨title⟩}[⟨countersec⟩]`

or, equivalently, its starred form to obtain a *proof-deferred* (but not repeated) theorem:

`\newtheoremrep*` `\newtheoremrep*{⟨name⟩}[⟨counter⟩]{⟨title⟩}[⟨countersec⟩]`

Usage of either form is exactly the same as that of AMS L^AT_EX's `\newtheorem` macro:

- `⟨name⟩` (e.g., `theorem`) is the name of an environment that is created for this kind of theorem;
- `⟨counter⟩` (e.g., `definition`) is an optional counter describing from which kind of environment the numbering of these environments should be inherited;
- `⟨title⟩` (e.g., `Theorem`) is the title that will be used to display this theorem environment;
- `⟨countersec⟩` (e.g., `section`) is an optional counter of a sectioning command indicating that counters for this theorem should be prefixed by this counter (and reset at each occurrence of the sectioning command).

`⟨counter⟩` and `⟨countersec⟩` should not be used together. What differs from `\newtheorem` is that, when the following is written:

```
\newtheoremrep{foobar}{Foobar}
```

then *two* environments are defined: the `foobar` environment, which behaves as if `\newtheorem` had been used, and the `foobarrep` environment, which results in the statement of this environment being repeated in the appendix. The starred form `\newtheoremrep*{foobarstar}{Foobarstar}` similarly defines two environments `foobarstar` and `foobarstarrep`, except that `\begin{foobarstarrep}` does not produce any restatement of the theorem in the appendix; only the following **proof** is deferred.

One interesting feature of `apxproof` is that in most situations, there is no need to `proof (env.)` use the `appendixproof` environment. Indeed, the `proof` environment is redefined by `apxproof` to automatically put the proof either in the main text (if it follows a regular theorem) or in the appendix (if it follows a repeated theorem).

Example 3. Assume we have first defined a repeated theorem environment `foobar` as above. We can now use this theorem environment, first for a regular theorem in the main text, then for a theorem repeated in the main text and in the appendix:

```
\begin{foobar}
This foobar is a regular one, in the main text.
\end{foobar}
\begin{proof}
This is the proof of the regular foobar.
\end{proof}
```

We obtain:

Foobar 1. This foobar is a regular one, in the main text.

Proof. This is the proof of the regular foobar. □

Now, if we use a repeated theorem:

```
\begin{foobarrep}
This foobar is repeated in the appendix.
\end{foobarrep}
\begin{proof}
This is the proof of the repeated foobar.
\end{proof}
```

We now obtain:

Foobar 2. *This foobar is repeated in the appendix.*

Note that, since `hyperref` is loaded, there are hyperlinks created between the statements of the theorems in the main text and in the appendix.

Example 4. *In contrast, the starred form of `\newtheoremrep` produces a theorem whose proof is deferred to the appendix without restating the theorem there. Assuming the declaration `\newtheoremrep*{foobarstar}{Foobarstar}` at the top of the document, writing:*

```
\begin{foobarstarrep}
This foobar will not be repeated in the appendix,
but the proof below will be deferred there.
\end{foobarstarrep}
\begin{proof}
This is the proof of the (non-repeated) foobar.
\end{proof}
```

yields:

Foobarstar 1. *This foobar will not be repeated in the appendix, but the proof below will be deferred there.*

In this mode, the title of the deferred proof in the appendix is controlled by the `\appendixproofname` hook documented in Section 1.5; by default, this hook is empty, so proofs are titled simply “Proof.” as usual. The forward hyperlink from the theorem number in the main text (when `hyperref` is loaded) points to the location of the proof in the appendix.

When the proof is deferred to the appendix, it is common practice to add a proof sketch in the main text. `apxproof` defines a simple `proofsketch` environment for this purpose:

```
proofsketch (env.)  \begin{proofsketch}
                    ...
                    \end{proofsketch}
```

The proof sketch is typeset similarly to a proof, but is always in the main text. Similarly, an `inlineproof` environment is provided so as to be able to have both a proof in the appendix (using the regular `proof` environment, or alternatively the `appendixproof` environment) and a different proof in the main text (using the `inlineproof` environment).

Example 5. *Here are simple examples of proof sketches and inline proofs:*

```
\begin{proofsketch}
This is a proof sketch.
\end{proofsketch}
```

Proof sketch. This is a proof sketch. □

```
\begin{inlineproof}
This is an inline proof.
\end{inlineproof}
```

Proof. This is an inline proof. □

1.3 Bibliography

By default, `apxproof` automatically adds a bibliography in the appendix with only the references cited in the appendix material. This allows for a clean separation of references used solely in the main text, and those used in the appendix.

Example 6. *Assume we have citations both in the main text and in the appendix.*

```
This is a citation in the main text~\cite{lamport86}.
\begin{toappendix}
This is a citation in the appendix~\cite{proofsAreHard}.
\end{toappendix}
```

This is a citation in the main text [1].

The bibliography in the appendix can use a different style and heading than the bibliography in the main text (and, by default, it does). See Section 1.5 for how to configure the appearance of that bibliography.

option `bibliography` In order to use a single appendix for the main text and the bibliography, one can specify the value `common` to the `bibliography` option when loading the package.

option `bibengine` By default, `apxproof` relies on the `bibunits` package to typeset a separate bibliography for the appendix material; this is the `bibengine=bibtex` mode (the default), suitable for documents that use `bibtex` (with or without `natbib`) for citations and references. Documents using `biblatex` can instead set `bibengine=biblatex`, in which case `apxproof` wraps the appendix material in a `biblatex refsection` environment and emits the appendix bibliography with `\printbibliography`. In this mode the user is responsible for loading `biblatex` and declaring bibliography resources with `\addbibresource` in the preamble; resources are shared between the main document and the appendix `refsection`, but citations and the printed bibliography are scoped independently. The `bibengine` option only has an effect when `bibliography=separate`. (By default this option is set to `separate`.)

1.4 Mode

option `appendix` An optional `<mode>` can be specified when loading the package:

`\usepackage[appendix=mode]{apxproof}`

mode can take one of the following four values:

append This is the default. Appendix material gathered by `apxproof` is appended to the main text.

inline In this mode, `apxproof` simply inlines the content along with the main text.

strip This mode functions similarly to **append** except that the appendix is not appended at the end of the document. All appendix material is therefore removed.

chapterend In this mode, appendix material for each chapter is gathered separately and emitted at the end of that chapter (i.e., just before the next `\chapter`, `\part`, `\frontmatter`, `\mainmatter`, or `\backmatter` command, or at the end of the document), using the `subappendices` environment from the `appendix` package. Only `bibliography=common` is supported in this mode. See Section 1.5 for the `\chapterappendixprelim` and `\flushchapterappendix` customization macros.

1.5 Customization

`apxproof` provides a few macros that can be redefined (using `\renewcommand`) to customize the appearance of the appendix:

`\mainbodyrepeatedtheorem` `\mainbodyrepeatedtheorem` is a macro that is executed at the beginning of the body of every repeated theorem. This can be used to notify the reader that the theorem is repeated in appendix in some way, e.g., with a margin note.

`\appendixsectionformat` `\appendixsectionformat{<number>}{<title>}` is a macro that indicates how to format the section titles in the Appendix, given the number and title of the section in the main text. By default, they appear as “Proofs for Section *number* (*title*)”.

`\appendixproofname` `\appendixproofname{<type>}{<ref>}` is a macro that determines the title of a proof deferred to the appendix when it follows a `\newtheoremrep` or `\newtheoremrep*` environment. By default, this macro is empty, which means proofs are titled “Proof.” as usual. When redefined to a non-empty value, the expansion is used as the title of the appendix proof; *type* is the title of the theorem environment (e.g., **Theorem**) and *ref* is a reference to the theorem statement in the main text. To title all such proofs “Proof of *type* *number*”, one would typically write:

```
\renewcommand{\appendixproofname}[2]{Proof of #1~#2}
```

This hook applies whether the theorem is restated in the appendix (`\newtheoremrep`) or not (`\newtheoremrep*`). It has no effect on manually written `appendixproof` environments or on proofs given an explicit optional title.

`\appendixrefname` `\appendixrefname` contains the heading that is displayed before the bibliography. By default, this is “References for the Appendix”. (Note that this command is also defined and used by the `memoir` document class.)

`\appendixbibliographystyle` `\appendixbibliographystyle` contains the `.bst` bibliography style that is used in the bibliography in appendix. By default, this is `alpha`.

`\appendixbibliographyprelim` `\appendixbibliographyprelim` contains arbitrary code that is executed just before the production of the bibliography in appendix, which can be used to configure the way it is displayed.

`\appendixprelim` `\appendixprelim` contains arbitrary code that is executed just before the production of the appendix, which can be used to configure the way it is displayed. By default, this command contains `\clearpage\onecolumn` (the appendix is typeset on a new page in single-column mode) but redefining this option allows changing this behavior. This macro has no effect in `chapterend` mode; use `\chapterappendixprelim` instead.

`\chapterappendixprelim` `\chapterappendixprelim` (`chapterend` mode only) contains arbitrary code that is executed just before each chapter's appendix block. By default, this command contains `\clearpage` (each chapter appendix starts on a new page). This macro has no effect in `append` or `strip` mode; use `\appendixprelim` instead.

`\flushchapterappendix` `\flushchapterappendix` (`chapterend` mode only) manually emits the current chapter's accumulated appendix material at the point of invocation, and starts a fresh per-chapter buffer. The package automatically inserts an equivalent flush before each `\chapter`, `\part`, `\frontmatter`, `\mainmatter`, `\backmatter`, and at the end of the document, so this macro is only useful in unusual document structures where an appendix needs to be emitted at a location that is not a standard structural boundary.

option `repeqn` Another customization capability concerns *numbered equations* that are present within repeated theorems. An optional `repeqn` option can be specified when loading the package, which controls whether equation numbers should be as in the main text (by setting this option to `same`, the default) or independently numbered (by setting this option to `independent`). In the latter case, whenever a referenceable counter is set with `\label{<counter>}`, `\ref{<counter>}` references the counter in the main text, while `\ref{<counter>-apx}` references the counter in the appendix (except in `inline` mode, where both have the same effect).

option `forwardlinking` Another customization option concerns hyperlinking. Usually, when `hyperref` is loaded, `foobarrep` environments in the main text have their number link to their repetition in the appendix. To suppress this behavior and have `foobarrep` environments treated as if `hyperref` were not loaded, one can specify the value `no` to the `forwardlinking` option when loading the package. (By default this option is set to `yes`.)

1.6 Advanced Features

We now describe a few advanced macros and environments, the usage of which is limited to special cases:

`nestedproof` (*env.*) `nestedproof` is an environment that can be used within a `proof` environment deferred in the appendix; this is required because, for technical reasons, no `proof` environment can be nested within a deferred `proof` environment.

`\noproofinappendix` `\noproofinappendix` can be used inside repeated theorems that are not followed by a `proof` or `appendixproof` environment; the point is to ensure that a further `proof` environment cannot be mistakenly understood as a proof of the repeated theorem. It should not be needed in most situations as `apxproof` tries figuring out when a proof follows a repeated theorem automatically, but may occasionally be needed in complex scenarios.

`\nosectionappendix` `\nosectionappendix` is to be used inside a section that *does* contain appendix material, but for which a section in the appendix should not be created. This should be rarely needed. When this command is present, appendix material is appended to the end of the previously created section.

1.7 Grouping Appendix Material Under a Single Section

By default, `apxproof` produces one section in the appendix for each section of the main text that contains appendix material (with the format controlled by `\appendixsectionformat`). If you would rather have a single section in the appendix (e.g., titled “Proofs”) with the per-section entries appearing as *subsections* of that single section, two recipes are available.

The first is fully explicit: disable the automatic per-section heading with `\nosectionappendix`, and write the desired structure directly inside `toappendix` environments.

```
\begin{toappendix}
  \section{Proofs}
\end{toappendix}

\section{First}\label{sec:first}
\nosectionappendix
\begin{toappendix}
  \subsection{Proofs of Section~\ref{sec:first}}
\end{toappendix}

% ... theorems and proofs of section ‘‘First’’ ...

\section{Second}\label{sec:second}
\nosectionappendix
\begin{toappendix}
  \subsection{Proofs of Section~\ref{sec:second}}
\end{toappendix}

% ... theorems and proofs of section ‘‘Second’’ ...
```

The reader of the source can then see exactly what will be produced in the appendix, at the cost of some verbosity.

The second recipe is more concise. The section level used by `apxproof` for the auto-generated appendix headings is swapped from `\section` to `\subsection` for the duration of an explicit `\begingroup`/`\endgroup` group:

```
\begin{toappendix}
  \section{Proofs}
  \begingroup\makeatletter
```



```

\let\axp@oldsection\subsection
\makeatother
\end{toappendix}

\section{First}\label{sec:first}
% ... theorems and proofs of section ‘‘First’’ ...

\section{Second}\label{sec:second}
% ... theorems and proofs of section ‘‘Second’’ ...

\begin{toappendix}
\endgroup
\end{toappendix}

```

The wrapping `\section{Proofs}` is written once, and every subsequent auto-generated appendix section heading is demoted to a `\subsection` for the scope of the group. The trade-off is that this recipe relies on an internal macro (`\axp@oldsection`) and on a manually balanced `\begingroup/\endgroup` pair across two separate `toappendix` environments.

2 Supported Document Classes

Because `apxproof` modifies sectioning commands, bibliographies, and proofs, it may not work straight away with arbitrary document classes. It has currently been tested with and is supported for the following document classes:

- L^AT_EX standard document classes (e.g., `article.cls`)
- KOMA-Script (e.g., `scrartcl.cls`, `scrbook.cls`)
- `memoir.cls`
- ACM SIG Proceedings (e.g., `sig-alternate.cls`, `acmart.cls`)
- Springer’s Lecture Notes in Computer Science (e.g., `llncs.cls`)
- Schloß Dagstuhl’s Leibniz International Proceedings in Informatics (e.g., `lipics.cls`, `lipics-v2016.cls`)

Other classes may work out of the box. Adding support for specific classes is possible and can be requested from the author of this package.

3 Known Issues and Limitations

We report here some issues we are currently aware of:

- When using `hyperref`, the appendix in the bibliography is not hyperlinked. This is to avoid possible issues with multiply defined bibliography entries.
- `appendixproof`, `proof`, `toappendix` environments cannot be nested. This is a limitation of the `fancyvrb` package that `apxproof` relies on. Note the existence of the `nestedproof` environment for nested proofs.

- `apxproof` poorly interacts with SyncTeX: identifying which source line has produced which box does not work for appendix content managed by `apxproof` or repeated theorems. No obvious fix is known, though this issue will be investigated in the long term.
- By default, when `bibliography=separate`, `apxproof` uses the `bibunits` package to generate a second bibliography. Packages incompatible with `bibunits` (notably `biblatex`) will therefore not work in that default configuration. For `biblatex` users, set `bibengine=biblatex` (in addition to `bibliography=separate`) to use `biblatex`'s own `refsection` machinery instead. The `bibliography=common` mode remains a third option that works with most bibliography packages.

Issues not listed here should be reported to the author.

4 License

Copyright © 2016–2026 by Pierre Senellart.

This work may be distributed and/or modified under the conditions of the L^AT_EX Project Public License, either version 1.3 of this license or (at your option) any later version. The latest version of this license is in <http://www.latex-project.org/lppl.txt> and version 1.3 or later is part of all distributions of L^AT_EX version 2005/12/01 or later.

5 Contact

- <https://github.com/PierreSenellart/apxproof>
- Pierre Senellart <pierre@senellart.com>

Bug reports and feature requests should preferably be submitted through the *Issues* feature of GitHub.

6 Acknowledgments

Thanks to Antoine Amarilli for feedback and proofreading. Thanks to K. D. Bauer for the implementation of the forward-linking mechanism, and for various bugfixes. Thanks to Leonid Kostrykin for an initial implementation of the `forwardlinking` option.

7 Implementation

We now describe the entire code of the package, in a literate programming fashion. Throughout the package, we use the `axp@` prefix to identify local macros and environment names, which are not meant to be used by the final user.

7.1 Dependencies

We first load a few package dependencies:

- `environ` to easily define the repeated theorem environments.
- ```
1 \RequirePackage{environ}
```
- `etoolbox` to define simple toggles.
- ```
2 \RequirePackage{etoolbox}
```
- `fancyvrb` for the bulk of the work of exporting appendix material in an auxiliary file.
- ```
3 \RequirePackage{fancyvrb}
```
- `ifthen` for easier comparison of character strings.
- ```
4 \RequirePackage{ifthen}
```
- `kvoptions` to manage options passed to the package.
- ```
5 \RequirePackage{kvoptions}
```
- `catchfile` to be able to check the content of files `\input` within appendix content.
- ```
6 \RequirePackage{catchfile}
```
- `amsthm` for its `\newtheorem` macro. Some document classes (e.g., `lipics`) preload `amsthm`: this is fine, `\RequirePackage{amsthm}` will simply have no effect. On the other hand, some other document classes (e.g., `llncs` or `sig-alternate`) define a `proof` environment that conflicts with `amsthm`, so we have to undefine this environment before loading `amsthm`. In that case, we reestablish the existing proof environments, in case they had been customized (e.g., `sig-alternate`)
- ```
7 \@ifpackageloaded{amsthm}{
8 }{
9 \let\apx@oldamsthmproof\proof
10 \let\apx@oldamsthmendproof\endproof
11 \let\proof\undefined
12 \let\endproof\undefined
13 }
14 \RequirePackage{amsthm}
15 \ifdefined\apx@oldamsthmproof
16 \let\proof\apx@oldamsthmproof
17 \let\endproof\apx@oldamsthmendproof
18 \fi
```

## 7.2 Option Processing

Many names throughout the package use an arobase (`@`) to avoid name conflict with user-defined names. To simplify the compilation of the documentation, we simply make it a regular character in all the rest.

```
19 \makeatletter
```

We setup the processing of options using `keyval` facilities.

```
20 \SetupKeyvalOptions{
21 family=axp,
22 prefix=axp@
23 }
```

We declare the following options:

- `appendix`, with a default value of `append` (other possible values: `strip`, `inline`);
- `bibliography`, with a default value of `separate` (other possible value: `common`);
- `repeqn`, with a default value of `same` (other possible value: `independent`).

`\axp@appendix`

```
24 \DeclareStringOption[append]{appendix}
```

`\axp@bibliography`

```
25 \DeclareStringOption[separate]{bibliography}
```

`\axp@bibengine`

```
26 \DeclareStringOption[bibtex]{bibengine}
```

`\axp@repeqn`

```
27 \DeclareStringOption[same]{repeqn}
```

`\axp@forwardlinking`

```
28 \DeclareStringOption[yes]{forwardlinking}
```

```
29 \ProcessLocalKeyvalOptions*
```

We check that the value of the options are valid, and add a message to the compilation log.

```
30 \ifthenelse{\equal{\axp@appendix}{append}}{
31 \message{apxproof: Appendix material appended to the document}
32 }{\ifthenelse{\equal{\axp@appendix}{strip}}{
33 \message{apxproof: Appendix material stripped}
34 }{\ifthenelse{\equal{\axp@appendix}{inline}}{
35 \message{apxproof: Appendix material inlined within the document}
36 }{\ifthenelse{\equal{\axp@appendix}{chapterend}}{
37 \message{apxproof: Appendix material appended at the end of each chapter}
38 }{
39 \errmessage{Error: unsupported option appendix=\axp@appendix\ for
40 package apxproof}
41 }}}}
42 \ifthenelse{\equal{\axp@bibengine}{bibtex}}{
43 }{\ifthenelse{\equal{\axp@bibengine}{biblatex}}{
44 }{
45 \errmessage{Error: unsupported option bibengine=\axp@bibengine\ for
46 package apxproof}
47 }}
48 \ifthenelse{\equal{\axp@bibliography}{separate}}{
```

In `bibengine=bibtex` mode (the default), the external `bibunits` package is used to add a second bibliography for the appendix material. In `bibengine=biblatex` mode, no extra package is loaded here: `biblatex` is expected to have been loaded by the user, and its `refsection` environment is used at appendix typeset time to scope citations.

```

49 \ifthenelse{\equal{\axp@bibengine}{bibtex}}{
50 \RequirePackage{bibunits}
51 \message{apxproof: Separate bibliography for appendix material (bibunits)}
52 }{
53 \message{apxproof: Separate bibliography for appendix material (biblatex)}
54 }
55 }\ifthenelse{\equal{\axp@bibliography}{common}}{
56 \message{apxproof: Common bibliography for appendix and main text}
57 }{
58 \errmessage{Error: unsupported option bibliography=\axp@bibliography\ for
59 package apxproof}
60 }}
61 \ifthenelse{\equal{\axp@appendix}{chapterend}
62 \AND\equal{\axp@bibliography}{separate}}{
63 \PackageError{apxproof}{%
64 bibliography=separate is not supported with appendix=chapterend}{%
65 Use bibliography=common instead.}
66 }{
67 \ifthenelse{\equal{\axp@repeqn}{same}}{
68 \message{apxproof: Repeated equations keep the same numbering}
69 }{\ifthenelse{\equal{\axp@repeqn}{independent}}{
70 \message{apxproof: Repeated equations are independently numbered}
71 }{
72 \errmessage{Error: unsupported option repeqn=\axp@repeqn\ for
73 package apxproof}
74 }}

```

`\axp@forward@suppress`

```

75 \newbool{axp@forward@suppress}
76 \ifthenelse{\equal{\axp@forwardlinking}{yes}}{
77 }{\ifthenelse{\equal{\axp@forwardlinking}{no}}{
78 \message{apxproof: Disable forward linking}
79 \global\booltrue{axp@forward@suppress}%
80 }{
81 \errmessage{Error: unsupported option forwardlinking=\axp@repeqn\ for
82 package apxproof}
83 }}

```

### 7.3 Macros Common to All Compilation Modes

`\axp@newtheoremrep@definetheorem` Common to all compilation modes, we define `\axp@newtheoremrep@definetheorem`. When called with first argument `foobar`, we first undefine the existing `foobar` environment (and its counter) if it has already been defined (e.g., by the document class), then invoke `\axp@newtheorem` for the regular version of the theorem `foobar`, saving and restoring any existing theorem counter unless the `\newtheoremdep` redefines the base counter.

```

84 \def\axp@newtheoremrep@definetheorem#1#2#3#4{%

```

```

85 \expandafter\let\csname #1\endcsname\undefined
86 \expandafter\let\csname the#1\endcsname\undefined
87 \ifcsname c@#1\endcsname
88 \expandafter\expandafter\expandafter\let\expandafter\expandafter
89 \csname c@axp@#1\endcsname\csname c@#1\endcsname
90 \expandafter\let\csname c@#1\endcsname\undefined
91 \fi
92 \axp@newtheorem{#1}{#2}{#3}{#4}%
93 \ifcsname c@axp@#1\endcsname
94 \ifx\relax#2\relax
95 \expandafter\expandafter\expandafter\let\expandafter\expandafter
96 \csname c@#1\endcsname\csname c@axp@#1\endcsname
97 \else
98 \fi
99 \fi
100 }

```

`\axp@newtheorem` We introduce an intermediate `\axp@newtheorem` command to define a new theorem, `\@axp@newtheorem` differently depending on whether there is a section counter or not. This will be `\@@axp@newtheorem` useful, in particular to allow changing this definition depending on the document class. This command uses two intermediary commands, `\@axp@newtheorem` and `\@@axp@newtheorem`, for the non-starred and starred versions.

```

101 \def\axp@newtheorem{\ifstar\@axp@newtheorem\@axp@newtheorem}
102 \def\@axp@newtheorem#1#2#3#4{%
103 \ifx\relax#4\relax
104 \newtheorem{#1}[#2]{#3}%
105 \else
106 \newtheorem{#1}{#3}[#4]%
107 \fi
108 }
109 \def\@@axp@newtheorem#1#2{%
110 \newtheorem*{#1}{#2}%
111 }

```

`\newtheoremrep` We define the high-level `\newtheoremrep` to have the same syntax as `amsthm`'s `\axp@newtheoremreptmp` `\newtheorem`, plus an optional `*` variant that defers the proof to the appendix without restating the theorem. For this purpose, we need a little trick to deal with the second and fourth optional arguments, which is what `\@oparg` and `\axp@newtheoremreptmp` are used for. `\axp@newtheoremrep` is defined differently depending on the compilation mode.

```

112 \newcommand\newtheoremrep{%
113 \@ifstar{\axp@newtheoremrep@star}{\axp@newtheoremrep@nostar}%
114 }
115 \newcommand\axp@newtheoremrep@star[1]{%
116 \global\csdef{axp@proofof@#1}{}%
117 \@oparg{\axp@newtheoremreptmp{#1}}[]%
118 }
119 \newcommand\axp@newtheoremrep@nostar[1]{%
120 \global\csundef{axp@proofof@#1}%
121 \@oparg{\axp@newtheoremreptmp{#1}}[]%
122 }
123 \def\axp@newtheoremreptmp#1[#2]#3{%
124 \@oparg{\axp@newtheoremrep{#1}[#2]{#3}}[]%

```

125 }

`proofsketch` (*env.*) Simple `proofsketch` environment.

126 `\newenvironment{proofsketch}{\begin{axp@oldproof}[Proof sketch]}\end{axp@oldproof}}`

`\mainbodyrepeatedtheorem` We provide sensible defaults for these user-customizable macros. Even though

`\appendixrefname` they are not all useful in all modes, we define them for all modes so that a

`\appendixbibliographystyle` `\renewcommand` works in all cases.

`\appendixbibliographyprelim` 127 `\newcommand{\mainbodyrepeatedtheorem}{}%`

`\appendixprelim` 128 `\providecommand{\appendixrefname}{References for the Appendix}`

`\appendixsectionformat` 129 `\newcommand{\appendixbibliographystyle}{alpha}`

`\appendixproofname` 130 `\newcommand{\appendixbibliographyprelim}{}%`

131 `\newcommand{\appendixprelim}{\clearpage\onecolumn}`

132 `\newcommand{\appendixsectionformat}[2]{Proofs for Section~#1\ (#2)}`

133 `\newcommand{\appendixproofname}[2]{}%`

`axp@oldproof` (*env.*) We save the definition of the existing `proof` environment.

134 `\let\axp@oldproof\proof`

135 `\let\endaxp@oldproof\endproof`

We define a utility macro that will be used to properly set the `\label` command (and its `amsmath` counterpart, `\label@in@display`) for equations within repeated theorems, depending on the compilation mode.

`\axp@redefinelabels`

136 `\newcommand{\axp@redefinelabels}{%`

137 `\providecommand\label@in@display{}%`

138 `\ifthenelse{\equal{\axp@appendix}{inline}}{%`

139 `\let\axp@oldlabel\label`

140 `\let\axp@oldlabel@in@display\label@in@display`

141 `\renewcommand\label[1]{%`

142 `\axp@oldlabel{##1}%`

143 `\axp@oldlabel{##1-axp}%`

144 `}%`

145 `\renewcommand\label@in@display[1]{%`

146 `\axp@oldlabel@in@display{##1}%`

147 `\axp@oldlabel{##1-axp}%`

148 `}%`

149 `}{%`

150 `\let\axp@oldlabel\label`

151 `\let\axp@oldlabel@in@display\label@in@display`

152 `\renewcommand\label[1]{\axp@oldlabel{##1-axp}}%`

153 `\renewcommand\label@in@display[1]{\axp@oldlabel@in@display{##1-axp}}%`

154 `}%`

155 `}`

### 7.3.1 Class-Specific Behavior

Finally, some class-specific behavior common to all compilation modes.

#### **lncs** and other Springer document classes

156 `\ifdefined\spnewtheorem`

`\@axp@newtheorem` It is necessary to use `\spnewtheorem` instead of `\newtheorem` in Springer document classes to obtain standard formatting.

```

157 \def\@axp@newtheorem#1#2#3#4{%
158 \ifx\relax#4\relax
159 \ifx\relax#2\relax
160 \spnewtheorem{#1}{#3}{\bfseries}{\itshape}%
161 \else
162 \spnewtheorem{#1}[#2]{#3}{\bfseries}{\itshape}%
163 \fi
164 \else
165 \spnewtheorem{#1}{#3}[#4]{\bfseries}{\itshape}%
166 \fi
167 }
168 \def\@axp@newtheorem#1#2{%
169 \spnewtheorem*{#1}{#2}{\upshape\bfseries}{\itshape}%
170 }

```

`proofsketch` We redefine the `proofsketch` environment, which is used differently in the base class.

```

171 \renewenvironment{proofsketch}{\begin{axp@oldproof}[sketch]}\end{axp@oldproof}}

```

We have to redefine the macro `\@thmcountersep` for proper sectioned counters.

```

172 \def\@thmcountersep{.}
173 \fi

```

**acmart** Some versions of `acmart` define a `\ACM@origsection` macro and verify that `\section` has the same content. We need to update `\ACM@origsection` accordingly.

```

174 \ifdefined\ACM@origsection
175 \AtBeginDocument{\let\ACM@origsection\section}
176 \fi

```

## 7.4 Inline Compilation Mode

```

177 \ifthenelse{\equal{\axp@appendix}{\inline}}{

```

`\axp@newtheoremrep` In inline mode, `\axp@newtheoremrep` uses `\axp@newtheoremrep@definetheorem` to define the regular theorem environment and creates a repeated theorem environment that behaves exactly as the regular theorem environment, while calling `\axp@redefinelabels` to make sure that `-axp` variants of equation counters are defined.

```

178 \def\axp@newtheoremrep#1[#2]#3[#4]{%
179 \axp@newtheoremrep@definetheorem{#1}{#2}{#3}{#4}%
180 \NewEnviron{#1rep}[1][]{%
181 \ifx\relax##1\relax
182 \begin{#1}\axp@redefinelabels\BODY\end{#1}%
183 \else
184 \begin{#1}[##1]\axp@redefinelabels\BODY\end{#1}%
185 \fi
186 }
187 }

```



`inlineproof (env.)` In inline mode, these environments behave like the regular `proof` environment.

`nestedproof (env.)` 188 `\let\inlineproof\proof`

`appendixproof (env.)` 189 `\let\endinlineproof\endproof`

190 `\let\nestedproof\proof`

191 `\let\endnestedproof\endproof`

192 `\let\appendixproof\proof`

193 `\let\endappendixproof\endproof`

`toappendix (env.)` In inline mode, this environment and these macros are no-ops.

`\noproofinappendix` 194 `\newenvironment{toappendix}{}{}`

`\nosectionappendix` 195 `\let\noproofinappendix\relax`

196 `\let\nosectionappendix\relax`

197 }

## 7.5 Append, Strip, or Chapter End Compilation Modes

198 {

We now deal with the case where `apxproof` really does something useful: either append the appendix material to the document, or strip it entirely.

### 7.5.1 Auxiliary File for the Appendix

`\axp@proofsfile` We open a new auxiliary file, with extension `.axp`, where the appendix material will be dumped.

199 `\AtBeginDocument{`

200 `\newwrite\axp@proofsfile`

201 `\ifthenelse{\equal{\axp@appendix}{chapterend}}{%`

202 `\axp@openchapterfile`

203 `}{%`

204 `\immediate\openout\axp@proofsfile=\jobname.axp`

205 `}%`

206 `}`

`proof (env.)` At the beginning of this file, we make `@` a regular character (since it will be used in several places for internal names) and reestablish the original definition of the `proof` environment and the `\section` macro.

207 `\newcommand{\axp@writeproofsfilepreamble}{%`

208 `\immediate\write\axp@proofsfile{%`

209 `\noexpand\makeatletter`

210 `\noexpand\let\noexpand\proof\noexpand\axp@oldproof`

211 `\noexpand\let\noexpand\endproof\noexpand\endaxp@oldproof`

212 `\noexpand\let\noexpand\claimproof\noexpand\axp@oldclaimproof`

213 `\noexpand\let\noexpand\endclaimproof\noexpand\endaxp@oldclaimproof`

214 `\noexpand\let\noexpand\section\noexpand\axp@oldsection`

215 `}%`

216 `}`

217 `\AtBeginDocument{`

218 `\ifthenelse{\equal{\axp@appendix}{chapterend}}{%`

219 `\axp@writeproofsfilepreamble`

220 `}%`

221 `}`

`\axp@unactivateeightbit` We need an auxiliary macro to disable active characters that have the high bit set when writing to the .axp file. See <https://tex.stackexchange.com/a/145361/166858>

```

222 \def\axp@unactivateeightbit{%
223 \count@=128%
224 \loop
225 \catcode\count@=12%
226 \ifnum\count@<255%
227 \advance\count@\@ne
228 \repeat}

```

`axp@VerbatimOut` (*env.*) Using the functionalities of the `fancyvrb` package, we define a custom verbatim environment `axp@VerbatimOut` that writes every line to the `\axp@proofsfile`.

`\FVB@axp@VerbatimOut` We also use the previous macro to disable active characters with the eighth bit set, and we make sure the catcode of `@` is reset for every verbatim environment, in case it is used by the user (e.g., as in the `xypic` package). Finally, as an additional precaution, we reset `\FV@CatCodesHook` that is for example set by the `commandchars` or `commentchar` option of `\fvset`.

```

229 \DefineVerbatimEnvironment{axp@VerbatimOut}{axp@VerbatimOut}{}
230 \def\FVB@axp@VerbatimOut{%
231 \@bsphack
232 \begingroup
233 \axp@unactivateeightbit
234 \FV@DefineWhiteSpace
235 \def\FV@Space{\space}%
236 \FV@DefineTabOut
237 \def\FV@ProcessLine{\immediate\write\axp@proofsfile}%
238 \let\FV@FontScanPrep\relax
239 \let\@noligs\relax
240 \def\FV@CatCodesHook{}%
241 \FV@Scan}
242 \def\FVE@axp@VerbatimOut{%
243 \immediate\write\axp@proofsfile{\noexpand\makeatletter}%
244 \endgroup\@esphack}

```

`\axp@markchapterhasappendix` No-op by default; overridden in `chapterend` mode to set a flag indicating that the current chapter has appendix content.

```

245 \newcommand{\axp@markchapterhasappendix}{}

```

`toappendix` (*env.*) The entire content of this environment is put in appendix, starting a new appendix section beforehand if needed.

```

246 \newenvironment{toappendix}
247 {\axp@markchapterhasappendix\axp@writesection\axp@VerbatimOut}
248 {\endaxp@VerbatimOut}

```

## 7.5.2 Definition of New Theorems

`axp@seenrepththeorem` Used to indicate whether a repeated theorem was just typeset, without its proof.

```

249 \newtoggle{axp@seenrepththeorem}

```

`axp@rpcounter` Sequentially incremented for every repeated theorem, used to create labels.

```

250 \newcounter{axp@rpcounter}

```

`axp@equation` Used to save the value of the `equation` counter, when `repeqn` is set to `same`.  
`axp@equationx` 251 `\newcounter{axp@equation}`  
252 `\newcounter{axp@equationx}`

`axp@newtheoremrep` With first argument `foobar`, we use `\axp@newtheoremrep@definetheorem` to define the regular version of the theorem `foobar`. We then patch `\begin{foobar}` so as not to expect a proof in the appendix and define an internal theorem `axp@foobarrp` that will be used in the appendix to restate the existing theorem. In the starred mode, the theorem is not restated in the appendix, so we do not define the `axp@foobarrp` environment.

```
253 \def\axp@newtheoremrep#1[#2]#3[#4]{%
254 \axp@newtheoremrep@definetheorem{#1}{#2}{#3}{#4}%
255 \expandafter\pretocmd\csname #1\endcsname{\noproofinappendix}{-}{-}%
256 \ifcsdef{axp@proofof#1}{-}{-}%
257 \axp@newtheorem*{axp@#1rp}{#3}%
258 }%
259 \axp@forward@setup{#1}{#2}{#3}{#4}%
```

We then define a `foobarrp` environment that increments the `axp@rpcounter` and typeset the regular `foobar` theorem with a label derived from the counter, along with a possible custom command to identify repeated theorems. We distinguish the case when the theorem argument has a note and when it does not. We save the equation counter before typesetting the theorem environment, to reset it to the same value in the repeated environment when `repeqn` is set to `same`.

```
260 \NewEnviron{#1rep}[1][]{%
261 \ifthenelse{\equal{axp@repeqn}{same}}{%
262 \setcounter{axp@equation}{\value{equation}}%
263 }{}%
264 \addtocounter{axp@rpcounter}{1}%
265 \ifx\relax#1\relax
266 \axp@with@forward{#1}{\begin{#1}}\label{axp@r\roman{axp@rpcounter}}%
267 \else
268 \axp@with@forward{#1}{\begin{#1}[{##1}]}\label{axp@r\roman{axp@rpcounter}}%
269 \fi
270 \mainbodyrepeatedtheorem
271 \BODY\end{#1}%
```

We set the `axp@seenrepththeorem` toggle to indicate that we are looking for the proof of the theorem, then store in a macro the content of the theorem's body.

```
272 \global\toggletrue{axp@seenrepththeorem}%
273 \global\expandafter\let\csname rplet\roman{axp@rpcounter}%
274 \endcsname
275 \BODY
```

Possibly after starting a new appendix section if needed, we typeset a repeated version of the theorem using the `axp@foobarrp` environment and a reference to the previously defined label. We use `\axp@redefinelabels` in this environment to avoid multiply defined labels. We have to deal in a careful way with theorem notes: we want to use a theorem note to display the number of the repeated theorem, but theorem notes are usually typeset in a much different way (different font, parentheses) than theorem headings. In the case of the Springer document classes, we use the `\theopargself` macro to disable parentheses. For other document classes, we need to manually patch the `\thmhead` command at the right time. We also

specially cover the case of the ACM document class where `\acmplainnotefont` is used instead of `\thmnotefont`.

```

276 \axp@markchapterhasappendix
277 \axp@writesection%
278 \immediate\write\axp@proofsfile{\noexpand\makeatletter}%
279 \ifthenelse{\equal{\axp@repeqn}{same}}{%
280 \immediate\write\axp@proofsfile{%
281 \noexpand\setcounter{axp@equationx}{\value{equation}}%
282 \noexpand\setcounter{equation}{\theaxp@equation}%
283 }%
284 }{}%
285 \ifbool{axp@forward@suppress}{%
286 \global\def\axp@refstar{\ref*}
287 }{%
288 \global\def\axp@refstar{\ref}
289 }

```

We write the auto-title state to the `.axp` file so that the following deferred proof can title itself via `\appendixproofname`. In starred mode, we also emit a forward-link target into the appendix so that hyperlinks from the inline theorem number always land somewhere defined, even if the user does not provide a proof.

```

290 \immediate\write\axp@proofsfile{%
291 \noexpand\gdef\noexpand\axp@nextproofof@type{#3}%
292 \noexpand\gdef\noexpand\axp@nextproofof@label{axp@r\roman{axp@rpcounter}}}%
293 }%
294 \ifcsdef{axp@proofof@#1}{%
295 \immediate\write\axp@proofsfile{%
296 \noexpand\axp@forward@target{axp@fw@r\roman{axp@rpcounter}}}%
297 }%
298 }{%

```

In the default (unstarred) mode, we emit the repeated version of the theorem to the appendix; the forward-link target sits inside the restated theorem. In starred mode, we skip this block entirely.

```

299 \immediate\write\axp@proofsfile{%
300 \ifdefined\theopargself
301 \noexpand\theopargself
302 \else
303 \noexpand\pretocmd{\noexpand\@begintheorem}{%
304 \noexpand\patchcmd{\noexpand\thmhead}{\noexpand\acmplainnotefont}{-}{-}%
305 \noexpand\patchcmd{\noexpand\thmhead}{\noexpand\the\noexpand\thmnotefont}{-}{-}%
306 \noexpand\patchcmd{\noexpand\thmhead}{(}{){-}{-}%
307 \noexpand\patchcmd{\noexpand\thmhead}{)}{-}{-}%
308 }{}{}
309 \fi
310 \noexpand\begin{axp@#1rp}
311 [%
312 \noexpand\axp@refstar{axp@r\roman{axp@rpcounter}}%
313 \@ifnotempty{##1}{%
314 \ifdefined\theopargself
315 \else
316 \ifdefined\acmplainnotefont
317 \noexpand\acmplainnotefont
318 \else

```

```

319 \noexpand\ifdefined\noexpand\thm@notefont
320 \noexpand\the\noexpand\thm@notefont
321 \noexpand\fi
322 \fi
323 \fi
324 {} (\unexpanded{##1})}%
325 }%
326]%
327 \noexpand\axp@forward@target{axp@fw@r\roman{axp@rpcounter}}{}%
328 \noexpand\axp@redefinelabels
329 \expandafter\noexpand\csname rplet\roman{axp@rpcounter}%
330 \endcsname
331 \noexpand\end{axp@#1rp}
332 }}%
333 }%
334 \ifthenelse{\equal{\axp@repeqn}{same}}{}%
335 \immediate\write\axp@proofsfile{%
336 \noexpand\setcounter{equation}{\value{axp@equationx}}}%
337 }%
338 }{}%
339 }%
340 }

```

### 7.5.3 Forward-Linking Mechanism

When `hyperref` is loaded, `foobarrep` environments in the main text have their number link to their repetition in the appendix.

`\axp@with@forward` In order to make the number of the `foobarrep` theorem a link to its repeated version, we temporarily redefine the `\thefoobar` command, or, if we inherited the counter from a `bazbar` environment, the `\thebazbar` command. This seems to be the only robust way to make the number a `\hyperlink`, without adding extensive dependence on internals of `amsthm`, the builtin `\newtheorem` and possibly document-class specific definitions.

In order to allow users to redefine `\thefoobar` without breaking this feature, we redefine `\thefoobar` only for the duration of the `\begin{foobar}` form, resetting it to the old value as soon as possible.

Redefining `\thefoobar` has the side effect of changing `\newlabel` entries in the `.aux` file, so we need to be able to disable addition of the hyperlink, which is why we use an intermediate `\axp@forward@link{<target>}{<text>}` macro. We also redefine `\theHfoobar` which is used by `hyperref` but not defined if `hyperref` was loaded after `\newtheoremrep` was used and `\protect` it to output it verbatim into the `.aux` file.

These hyperlinks are of course disabled in the `strip` compilation mode.

```

341 \newcommand{\axp@with@forward}[2]{%
342 \ifthenelse{\equal{\axp@appendix}{strip}}{#2}{
343 \global\booltrue{axp@forward}%
344 \ifcsundef{axp@old@the\csname axp@cn@#1\endcsname}{%
345 \csletcs{axp@old@the\csname axp@cn@#1\endcsname}{the\csname axp@cn@#1\endcsname}%
346 \csletcs{theH\csname axp@cn@#1\endcsname}{the\csname axp@cn@#1\endcsname}%
347 \csdef{the\csname axp@cn@#1\endcsname}{%
348 \protect\axp@forward@link{axp@fw@r\roman{axp@rpcounter}}}%

```

```

349 {\csname axp@old@the\csname axp@cn@#1\endcsname\endcsname}%
350 }%
351 }{}%
352 #2%
353 \ifcsdef{axp@old@the\csname axp@cn@#1\endcsname}{%
354 \csletcs{the\csname axp@cn@#1\endcsname}{axp@old@the\csname axp@cn@#1\endcsname}%
355 }{}%
356 \global\boolfalse{axp@forward}
357 }}%

```

`\axp@forward@link` Dummy macro, for handling the unwanted change of the `\newlabel` entry in `axp@forward` the .aux file caused by changing the definition of `\thefoobar`. We also use `\texorpdfstring` to detect whether the reference appears within a PDF bookmark, in which case we skip the test altogether.

```

358 \newbool{axp@forward}
359 \newcommand{\axp@forward@link}[2]{%
360 \ifdefined\texorpdfstring\else\newcommand\texorpdfstring[2]{#2}\fi
361 \texorpdfstring{%
362 \ifboolexpr{ bool {axp@forward} and not bool {axp@forward@suppress} }{%
363 \ifcsdef{hyperlink}{%
364 \hyperlink{#1}{#2}%
365 }{%
366 #2%
367 }%
368 }{%
369 #2%
370 }%
371 }{}%
372 #2%
373 }%
374 }%

```

`\axp@forward@target` Provides the needed `\hypertarget`. Intended to be written to the .axp file.

```

375 \newcommand{\axp@forward@target}[2]{%
376 \ifcsname hypertarget\endcsname
377 \hypertarget{#1}{#2}%
378 \else
379 #2%
380 \fi
381 }

```

`\axp@forward@setup` In order to support counter inheritance with the first optional argument of `\newtheoremrep`, we need access to the name of the counter. For compliance with the behavior of `\@axp@newtheorem`, the first optional argument (`#2`) is ignored if the second optional argument (`#4`) is given. We also check whether `aliascnt` was used to define this counter; if so, we use the original name as the counter name to handle the way such aliases work.

```

382 \newcommand{\axp@forward@setup}[4]{%
383 \csedef{axp@cn@#1}{\ifblank{#4}{\ifblank{#2}{#1}{\ifcsdef{AC@cnt@#1}{#1}{#2}}}{#1}}%
384 }

```

### 7.5.4 Proof Environments

`\noproofinappendix` Utility macro that toggles `axp@seenreptheorem` to false.

```

385 \newcommand\noproofinappendix{%
386 \global\togglefalse{axp@seenreptheorem}%
387 }

```

`\axp@apxproofstart` Helper invoked from the `.axp` file at appendix typeset time to open a deferred proof. Reads the `\axp@nextproofof@*` state (set by the preceding `theoremrep`) and consults `\appendixproofname` to decide whether to pass an optional title argument.

```

388 \gdef\axp@nextproofof@type{}
389 \gdef\axp@nextproofof@label{}
390 \def\axp@apxproofstart#1{%
391 \protected@xdef\axp@apxproofstart@title{%
392 \appendixproofname{\axp@nextproofof@type}%
393 {\noexpand\ref{\axp@nextproofof@label}}}%
394 }%
395 \ifx\axp@apxproofstart@title\@empty
396 \begin{#1}%
397 \else
398 \expandafter\axp@apxproofstart@withtitle
399 \expandafter{\axp@apxproofstart@title}{#1}%
400 \fi
401 }
402 \def\axp@apxproofstart@withtitle#1#2{\begin{#2}[#1]}

```

`appendixproof` (*env.*) We dump the content of this in appendix, within an original `proof` environment, possibly after creating a new appendix section. We support optional arguments in proofs, but we need to be careful not to gobble any newline character, that would make it impossible to process the first line with `fancyvrb`. When the proof is auto-routed from a `theoremrep` (the toggle `axp@seenreptheorem` is true at this point and no explicit optional argument was given), we delegate the proof opening to `\axp@apxproofstart` so that `\appendixproofname` is consulted at appendix typeset time. A user-supplied optional argument or a manual `\appendixproof` call (toggle false) bypasses this and uses the standard “Proof.” heading.

```

403 \def\appendixproof{\catcode'\^M=\active@ifnextchar[{\catcode'\^M=5\@@appendixproof[axp@
404 \def\@appendixproof[#1]%
405 {%
406 \axp@markchapterhasappendix
407 \axp@writesection
408 \iftoggle{axp@seenreptheorem}{%
409 \immediate\write\axp@proofsfile{%
410 \noexpand\makeatletter\noexpand\axp@apxproofstart{#1}\noexpand\makeatother%
411 }%
412 }{%
413 \immediate\write\axp@proofsfile{%
414 \noexpand\makeatletter\noexpand\begin{#1}\noexpand\makeatother%
415 }%
416 }%
417 \axp@VerbatimOut
418 }
419 \def\@@appendixproof[#1][#2]%

```

```

420 {%
421 \exp@markchapterhasappendix
422 \exp@writesection
423 \immediate\write\exp@proofsfile{%
424 \noexpand\makeatletter\noexpand\begin{#1}[\unexpanded{#2}]\noexpand\makeatother%
425 }%
426 \exp@VerbatimOut
427 }
428 \def\endappendixproof
429 {%
430 \endexp@VerbatimOut
431 \immediate\write\exp@proofsfile{%
432 \noexpand\end{exp@oldproof}%
433 }%
434 \noproofinappendix
435 }

```

**proof** (*env.*) This environment either puts the proof in appendix, if we are after a repeated theorem without its proof, or inlines it otherwise. We support optional arguments in proofs, but we need to be careful not to gobble any newline character, that would make it impossible to process the first line with `fancyvrb`.

```

436 \def\proof{\catcode'\^M=\active\ltx@ifnextchar@nospace[\catcode'\^M=5\exp@@proof]{\catcode'\^M=5\exp@proof}%
437 \def\exp@proof
438 {%
439 \iftoggle{exp@seenrepththeorem}{%
440 \appendixproof
441 }{%
442 \exp@oldproof
443 }%
444 }
445 \def\exp@@proof[#1]%
446 {%
447 \iftoggle{exp@seenrepththeorem}{%
448 \appendixproof[#1]
449 }{%
450 \exp@oldproof[#1]
451 }%
452 }
453 \def\endproof
454 {%
455 \iftoggle{exp@seenrepththeorem}{%
456 \endappendixproof
457 }{%
458 \endexp@oldproof
459 }%
460 }

```

**claimproof** (*env.*) If the `claimproof` environment exists (lipics document class or user-defined), we also redefine it, in the same way.

```

461 \AtBeginDocument{
462 \ifdefined\claimproof
463 \let\exp@oldclaimproof\claimproof
464 \let\endexp@oldclaimproof\endclaimproof
465 \def\claimproof{\catcode'\^M=\active\ltx@ifnextchar@nospace[\catcode'\^M=5\exp@@claimproof}%

```



```

466 \def\appendixclaimproof{\catcode'\^M=\active\ifnextchar[{\catcode'\^M=5\@appendixproof}
467 \def\axp@claimproof
468 {%
469 \iftoggle{axp@seenrepththeorem}{%
470 \appendixclaimproof
471 }{%
472 \axp@oldclaimproof
473 }%
474 }
475 \def\axp@@claimproof[#1]%
476 {%
477 \iftoggle{axp@seenrepththeorem}{%
478 \appendixclaimproof[#1]%
479 }{%
480 \axp@oldclaimproof[#1]%
481 }%
482 }
483 \def\endclaimproof
484 {%
485 \iftoggle{axp@seenrepththeorem}{%
486 \endappendixclaimproof
487 }{%
488 \endaxp@oldclaimproof
489 }%
490 }
491 \def\endappendixclaimproof
492 {%
493 \endaxp@VerbatimOut
494 \immediate\write\axp@proofsfile{%
495 \noexpand\end{axp@oldclaimproof}%
496 }%
497 \noproofinappendix
498 }
499 \fi
500 }

```

`inlineproof` (*env.*) These two environments are synonyms for the original `proof` environment.

`nestedproof` (*env.*)

```

501 \let\inlineproof\axp@oldproof
502 \let\endinlineproof\endaxp@oldproof
503 \let\nestedproof\axp@oldproof
504 \let\endnestedproof\endaxp@oldproof

```

### 7.5.5 Section Management

`axp@seccounter` Sequentially incremented for every section, used to create labels.

```

505 \newcounter{axp@seccounter}

```

`\axp@sectitle` Saves the title of the last encountered section.

```

506 \def\axp@sectitle{}

```

`\axp@section` This command `\axp@section` behaves similarly to `\axp@oldsection`, except that

`\axp@@sectionskip` it first tests whether a `\section` follows, and if so, does not produce anything. This

`\axp@@sectiontestinput` is useful to avoid producing empty sections in the appendix. Using the `catchfile`

`\axp@@sectiontestinclude`

`\axp@@sectionfinishinclude`

`\axp@@sectiontestsection`

package, we also check whether a `\section` is within an `\input` or `\include` that immediately follows. We also skip any `\par` tokens (produced by blank lines) before performing the check.

```

507 \def\axp@section#1{%
508 \@ifnextchar\par
509 {\axp@@sectionskippar{#1}}%
510 {\@ifnextchar\input
511 {\axp@@sectiontestinput{#1}}%
512 {\@ifnextchar\include
513 {\axp@@sectiontestinclude{#1}}%
514 {\axp@@sectiontestsection{#1}}}%
515 }
516 \def\axp@@sectionskippar#1\par{\axp@section{#1}}
517 \def\axp@@sectiontestinput#1\input#2{%
518 \CatchFileDef{\axp@tmp}{#2}{}%
519 \def\axp@tmptmp{\axp@@sectiontestsection{#1}}%
520 \expandafter\axp@tmptmp\axp@tmp%
521 }
522 \def\axp@@sectiontestinclude#1\include#2{%
523 \setcurr@file{#2}%
524 \edef\axp@tmp{\@strip@tex@ext\curr@file.tex}%
525 \expandafter\CatchFileDef\expandafter\axp@tmp\expandafter{\axp@tmp}{}%
526 \def\axp@tmptmp{\axp@@sectionfinishinclude{#1}{#2}}%
527 \expandafter\axp@tmptmp\axp@tmp\@nil
528 }
529 \long\def\axp@@sectionfinishinclude#1#2#3#4\@nil{%
530 \ifx#3\section
531 \makeatother
532 \else
533 \axp@oldsection{#1}\makeatother
534 \fi
535 \include{#2}%
536 }
537 \def\axp@@sectiontestsection#1{\@ifnextchar\section{\makeatother}{\axp@oldsection{#1}\makeatother}}

```

`\axp@oldsection` We redefine the `\section` command to create a label based on `axp@seccounter` and to store its title in `\axp@sectitle`. In order to support starred and unstarred `\@section` versions, as well as the optional short-title argument, the intermediate macros `\@@section` `\@section` and `\@@section` are needed.

```

538 \let\axp@oldsection\section
539 \def\section{\ifstar\@section\@@section}
540 \newcommand{\@section}[2][\relax]{\axp@@section{*}{#1}{#2}}%
541 \newcommand{\@@section}[2][\relax]{\axp@@section{}{#1}{#2}}%
542 \newcommand{\axp@@section}[3]{%
543 \global\def\axp@sectitle{#3}%
544 \ifx\relax#2\relax
545 \axp@oldsection#1{#3}%
546 \else
547 \axp@oldsection#1[{#2}]{#3}%
548 \fi
549 \addtocounter{axp@seccounter}{1}%
550 \label{axp@s\roman{axp@seccounter}}%
551 }

```

`\nosectionappendix` We remove the current section title, to indicate no section should be created in the appendix.

```
552 \newcommand{\nosectionappendix}{
553 \global\def\axp@sectitle{}%
554 }
```

`\axp@writesection` If `\axp@sectitle` is not empty, we create a new section in the appendix, referring to the main text section.

Here, we wrap `\ref{axp@si}` into `\axp@protectref@i`, in order to protect the label name from wrongly being converted to uppercase, e.g., in `fancyhdr` with `\pagestyle{fancy}`.

This macro is defined both in the `.aux` file (in order to ensure availability when typesetting the `\tableofcontents`), and immediately before typesetting the appendix section (to ensure availability in the `\section` command).

```
555 \newcommand\axp@writesection{%
556 \ifx\axp@sectitle\@empty
557 \else
558 \edef\axp@tmp{%
559 \noexpand\global\noexpand\def
560 \expandonce{\csname axp@protectref@\roman{axp@seccounter}\endcsname}{%
561 \noexpand\ref{axp@s\roman{axp@seccounter}}}%
562 }%
563 }%
564 \immediate\write\@auxout{\expandonce\axp@tmp}
565 \immediate\write\axp@proofsfile{%
566 \expandonce\axp@tmp^^J%
567 \noexpand\axp@section{%
568 \noexpand\appendixsectionformat{%
569 \protect
570 \expandonce{\csname axp@protectref@\roman{axp@seccounter}\endcsname}%
571 }{\expandonce\axp@sectitle}%
572 }%
573 }%
574 \nosectionappendix
575 \fi
576 }
```

Finally, in a somewhat ad hoc manner, we disable the whole section management for `\tableofcontents`, which may be typeset using a section heading, but for which automatic section management does not make sense.

```
\axp@oldtableofcontents
\tableofcontents 577 \let\axp@oldtableofcontents\tableofcontents
578 \def\tableofcontents{{\let\section\axp@oldsection\axp@oldtableofcontents}}
```

## 7.5.6 Append Compilation Mode

```
579 \ifthenelse{\equal{\axp@append}{append}}{
```

`\axp@oldbibliography` In `bibengine=bibtex` mode, when the bibliography option is set to `separate`, `\bibliography` we need to set the appendix bibliography source to be the same as that of the main text, thanks to `bibunits`'s `\defaultbibliography` macro. In

bibengine=biblatex mode, no such rebinding is needed: biblatex resources declared with \addbibresource are visible to all refsections globally.

```

580 \ifthenelse{\equal{\axp@bibliography}{separate}}
581 {\AND\equal{\axp@bibengine}{bibtex}}{}
582 \let\axp@oldbibliography\bibliography
583 \renewcommand\bibliography[1]{%
584 \defaultbibliography{#1}%
585 \axp@oldbibliography{#1}%
586 }
587 {}

```

After the end of the main text, we add the appendix (after the command \appendixprelim is issued) within a bibunit environment so as to typeset a separate bibliography for the appendix (unless the bibliography option is set to common). This is done using \pretocmd on \@enddocumenthook instead of \AtEndDocument because we want the code to be run before any code in the \@enddocumenthook that has been set in the document class, as in the amsart document class. There is an extra test to ensure an empty bibliography environment is not produced. The name of the bibliography is changed to \appendixrefname; in most document classes, it is called \refname but it is occasionally (scrartcl, scrreprt) called \bibname. An ad-hoc test is added to fix a conflict with the natbib package which redefines bibcite at the end of the document.

```

588 \pretocmd{\@enddocumenthook}{%
589 \ifdefined\NAT@testdef
590 \renewcommand\bibcite[2]{%
591 \global\@namedef{b@#1\@extra@binfo}{#2}%
592 }
593 \fi
594 \appendixprelim
595 \appendix
596 \ifthenelse{\equal{\axp@bibliography}{separate}}{}{
597 \ifthenelse{\equal{\axp@bibengine}{bibtex}}{}{
598 \begin{bibunit}[\appendixbibliographystyle]
599 }{
600 \begin{refsection}
601 }
602 }{}
603 \immediate\closeout\axp@proofsfile
604 \input{\jobname.axp}
605 \ifthenelse{\equal{\axp@bibliography}{separate}}{}{
606 \ifthenelse{\equal{\axp@bibengine}{bibtex}}{}{
607 \ifdefined\refname
608 \renewcommand{\refname}{\appendixrefname}
609 \else\ifdefined\bibname
610 \renewcommand{\bibname}{\appendixrefname}
611 \fi\fi
612 \let\axp@oldthebibliography\thebibliography
613 \let\endaxp@oldthebibliography\endthebibliography
614 \renewenvironment{thebibliography}[1]{%
615 \def\axp@tmp{#1}%
616 \ifx\axp@tmp\empty
617 \gdef\axp@noappendixbibliography1\relax
618 \else

```

```

619 \begin{axp@oldthebibliography}{#1}%
620 \fi
621 }{%
622 \ifdefined\axp@noappendixbibliography\relax\else\end{axp@oldthebibliography}%
623 \fi}
624 \appendixbibliographyprelim
625 \putbib
626 \end{bibunit}
627 }{
628 \appendixbibliographyprelim
629 \printbibliography[title=\appendixrefname]
630 \end{refsection}
631 }
632 \ifdefined\NAT@testdef
633 \let\bibcite\NAT@testdef
634 \fi
635 }{}
636 }{}{}
637 }{}

```

## 7.5.7 Chapter End Compilation Mode

In `chapterend` mode, appendix material for each chapter is gathered in a per-chapter auxiliary file and emitted immediately after that chapter's content (and bibliography). This requires the `appendix` package for its `subappendices` environment.

```

638 \ifthenelse{\equal{\axp@appendix}{chapterend}}{
639 \RequirePackage{appendix}

```

`\chapterappendixprelim` User-customizable hooks surrounding each chapter's appendix block. By default they open and close a `subappendices` environment.

```

\axp@beginchapterappendix
\axp@endchapterappendix 640 \newcommand{\chapterappendixprelim}{\clearpage}
641 \newcommand{\axp@beginchapterappendix}{%
642 \chapterappendixprelim
643 \begin{subappendices}%
644 }
645 \newcommand{\axp@endchapterappendix}{%
646 \end{subappendices}%
647 }

```

`axp@chaptercounter` Counter for unique per-chapter file names, a boolean tracking whether the current chapter has any appendix content, and the current file name.

```

\axp@currenttaxpfile 648 \newcounter{axp@chaptercounter}
649 \newbool{axp@chapterhasappendix}
650 \def\axp@currenttaxpfile{}

```

`\axp@markchapterhasappendix` Override the no-op to set the boolean when content is written.

```

651 \renewcommand{\axp@markchapterhasappendix}{%
652 \global\booltrue{axp@chapterhasappendix}%
653 }

```

`\axp@openchapterfile` Open a fresh auxiliary file for the current chapter. We write `\begingroup` first so that all the preamble `\let` assignments (and any catcode changes from `\makeatletter`) are scoped to this chapter's appendix and do not leak into the rest of the document when the file is `\input`'d. We also reset the section-title tracker and the repeated-theorem toggle so that state from the previous chapter cannot bleed into the new file.

```

654 \newcommand{\axp@openchapterfile}{%
655 \edef\axp@currenttaxpfile{\jobname-\arabic{axp@chaptercounter}.axp}%
656 \immediate\openout\axp@proofsfile=\axp@currenttaxpfile
657 \immediate\write\axp@proofsfile{\noexpand\begingroup}%
658 \axp@writeproofsfilepreamble
659 \global\boolfalse{axp@chapterhasappendix}%
660 \global\def\axp@sectitle{}%
661 \global\togglefalse{axp@seenrepththeorem}%
662 }
```

`\axp@flushchapterappendix` Close the current chapter's auxiliary file (appending `\endgroup` to close the group opened in `\axp@openchapterfile`) and, if it contains any content, emit it inside a subappendices block.

```

663 \newcommand{\axp@flushchapterappendix}{%
664 \immediate\write\axp@proofsfile{\noexpand\endgroup}%
665 \immediate\closeout\axp@proofsfile
666 \ifbool{axp@chapterhasappendix}{%
667 \axp@beginchapterappendix
668 \input{\axp@currenttaxpfile}%
669 \axp@endchapterappendix
670 }{}%
671 }
```

`\axp@chapterboundary` `\axp@chapterboundary` flushes the previous chapter's auxiliary file, increments the counter, and opens the next one. It is used as a hook for `\chapter`, `\part`, and the book-class matter-switching commands `\frontmatter`, `\mainmatter`, `\backmatter`, so that per-chapter appendices are emitted before any of these structural transitions (otherwise the appendix of the last chapter of a part/matter would end up under the next part/matter). `\flushchapterappendix` is a public alias for the same operation, which can be invoked manually wherever an appendix flush boundary is needed (e.g., before a bibliography that does not produce its own chapter heading).

```

672 \newcommand{\axp@chapterboundary}{%
673 \axp@flushchapterappendix
674 \stepcounter{axp@chaptercounter}%
675 \axp@openchapterfile
676 }
677 \let\flushchapterappendix\axp@chapterboundary
```

`\axp@hookboundary` Helper to install `\axp@chapterboundary` as a `\pretocmd` hook on a structural command (`\chapter`, `\part`, `\frontmatter`, etc.), issuing a package warning if the hook fails.

```

678 \newcommand{\axp@hookboundary}[1]{%
679 \pretocmd{#1}{\axp@chapterboundary}{}{%
680 \PackageWarning{apxproof}{%
681 Could not hook into \string#1;^^J%

```

```

682 chapter appendices may not be emitted correctly}}%
683 }

```

At the start of each `\chapter`, `\part`, or matter-switching command, run the boundary hook. At `\end{document}`, flush the last chapter's file.

```

684 \AtBeginDocument{%
685 \ifdefined\chapter{%
686 \axp@hookboundary{\chapter}%
687 }{%
688 \PackageWarning{apxproof}{%
689 appendix=chapterend used but \string\chapter\space
690 is not defined}%
691 }%
692 \ifdefined\part{\axp@hookboundary{\part}}{}%
693 \ifdefined\frontmatter{\axp@hookboundary{\frontmatter}}{}%
694 \ifdefined\mainmatter{\axp@hookboundary{\mainmatter}}{}%
695 \ifdefined\backmatter{\axp@hookboundary{\backmatter}}{}%
696 }
697 \pretocmd{\@enddocumenthook}{%
698 \axp@flushchapterappendix
699 }{}{}
700 }{}

```

### 7.5.8 Class-Specific Behavior

We conclude with some class-specific behavior.

#### ACM Document Classes (old versions, till 2017)

```

701 \ifdefined\acmtitlebox

```

We first redefine the `proofsketch` environment, which is used differently in the base class.

```

702 \renewenvironment{proofsketch}{\begin{axp@oldproof}[sketch]}\end{axp@oldproof}}

```

We adjust the styling of theorems for the needs of `apxproof`.

```

703 \newtheoremstyle{mystyle}
704 {6pt}
705 {6pt}
706 {\itshape}
707 {10pt}
708 {\scshape}
709 {.}
710 {.5em}
711 {}
712 \theoremstyle{mystyle}

```

`\thebibliography` The section title of the bibliography is in uppercase in these document classes. In addition, the `\thebibliography` macro hard-codes twice the section title, so we un-hardcode it so that it can be modified in the appendix.

```

713 \patchcmd{\thebibliography}{References}{\protect\refname}{}{}
714 \patchcmd{\thebibliography}{References}{\protect\refname}{}{}
715 \newcommand{\refname}{REFERENCES}
716 \renewcommand{\appendixrefname}{REFERENCES FOR THE APPENDIX}

```

717 \fi

## lipics

718 \ifdefined\lipics@opterrshort

\appendixbibliographyprelim The default bibliography in the lipics document class formatting is not compatible with the alpha bibliography style. We fix this here.

```
719 \renewcommand{\appendixbibliographyprelim}{%
720 \global\let\@oldbiblabel\@biblabel
721 \def\@biblabel{\hspace*{-2em}\small\@oldbiblabel}%
722 }
```

723 \fi

724 }

## Change History

|        |                                                                                                |        |                                                                                                                                                        |
|--------|------------------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| v1.0.0 | General: Initial released version . . . 1                                                      | v1.0.5 | General: Ability to specify a sectioning counter in newtheoremrep . . . . . 2                                                                          |
| v1.0.1 | General: Prevent empty bibliography environment; fix typos . . . . . 1                         |        | Fix compilation of proofsketch environment in inline mode . . . 4                                                                                      |
| v1.0.2 | axp@newtheoremrep: Fix display of repeated theorem counter in some document classes . . . . 20 | v1.0.6 | General: Better support of Springer document classes . . . . . 15                                                                                      |
|        | Fix missing space between repeated theorem counter and theorem note . . . . . 20               |        | Deal with document classes where the bibliography is called \bibname . . . . . 28                                                                      |
| v1.0.3 | General: Note on entire sections in appendix . . . . . 2                                       |        | Support of new ACM document class (acmart.cls) . . . . . 32                                                                                            |
|        | \appendixbibliographyprelim: Support for lipics-v2016 . . . . 32                               |        | \axp@newtheorem: Introduce intermediary command for theorem macro . . . . . 14                                                                         |
|        | proofsketch: Ignore spaces after beginning of Proof sketch . . . 15                            |        | \axp@writesection: Fix extraneous space after section number in appendix titles . . . 27                                                               |
| v1.0.4 | General: More faithful theorem style for ACM templates . . . . 31                              |        | axp@newtheoremrep: Better handling of note-free theorems in document classes that treat theorems differently when they have an empty note . . . . . 19 |
|        | More robust coherent styling of proof sketches . . . . . 31                                    |        | Fix incorrect use of \noexpand in optional argument of macro environment . . . . . 20                                                                  |
|        | Re-establish custom proof environments . . . . . 11                                            | v1.1.0 | General: Added forward-link mechanism (K. D. Bauer) . . . 21                                                                                           |
|        | Show options commented on in margin and index . . . . . 1                                      |        | \appendixsectionformat: Fix missing space in default                                                                                                   |
|        | \appendixprelim: Configurable appendix style . . . . . 15                                      |        |                                                                                                                                                        |
|        | \axp@bibliography: bibliography option . . . . . 12                                            |        |                                                                                                                                                        |



|                                                                                                                                                                                                                   |    |                                                                                                                                        |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------------------------------------------------------------------------------------------------------------------------------------|----|
| <code>\appendixsectionformat</code> . . .                                                                                                                                                                         | 15 | Springer document classes . . .                                                                                                        | 16 |
| <code>\axp@proofsfile</code> : Initialization deferred to <code>\AtBeginDocument</code> for compatibility with <code>\dumped</code> precompiled preambles (K. D. Bauer) . . . . .                                 | 17 | <code>axp@newtheoremrep</code> : Fix display of theorem notes . . . . .                                                                | 20 |
| <code>\axp@redefinlabels</code> : Fix <code>\label</code> not being disabled in <code>amsmath</code> environments, where <code>\label@in@display</code> is used instead (K. D. Bauer) . . . . .                   | 15 | v1.2.1                                                                                                                                 |    |
| <code>\axp@repeqn</code> : <code>repeqn</code> option . . . . .                                                                                                                                                   | 12 | General: Ad hoc fix for <code>natbib</code> package conflict . . . . .                                                                 | 28 |
| <code>\axp@unactivateeightbit</code> : Fix compilation of non-ASCII characters with <code>\usepackage[utf8]{inputenc}</code> . . . . .                                                                            | 18 | <code>\appendixrefname</code> : Fix compatibility with <code>memoir</code> document class . . . . .                                    | 15 |
| <code>\axp@writesection</code> : Make <code>\axp@tmp</code> wrapper more robust. Resolves issues from use of section title in <code>fancyhdr</code> , and in <code>\tableofcontents</code> (K. D. Bauer). . . . . | 27 | <code>\FVE@axp@VerbatimOut</code> : Fix compatibility with <code>xypic</code> package . . . . .                                        | 18 |
| <code>\FVE@axp@VerbatimOut</code> : Make <code>apxproof</code> compatible with independent use of <code>fancyvrb</code> . . . . .                                                                                 | 18 | Fix compatibility with other uses of <code>fancyvrb</code> that set <code>\FV@CatCodesHook</code> . . . . .                            | 18 |
| <code>\section</code> : Fix handling of fragile macros within section headings. See #22. . . . .                                                                                                                  | 26 | v1.2.2                                                                                                                                 |    |
| Rewrote definition of <code>\section</code> to enable optional argument. See #23. (K. D. Bauer) . . . . .                                                                                                         | 26 | General: Compatibility with AMS document classes: do not use <code>\AtEndDocument</code> . . . . .                                     | 28 |
| <code>\tableofcontents</code> : Disable section management for table of contents . . . . .                                                                                                                        | 27 | <code>\axp@section</code> : Detect a section within an included file to avoid produced useless sections . . . . .                      | 25 |
| v1.2.0                                                                                                                                                                                                            |    | <code>axp@newtheoremrep</code> : Fix handling of optional arguments of repeated theorems containing optional arguments . . . . .       | 19 |
| General: Do not load <code>bibunits</code> if <code>bibliography</code> is set to <code>common</code> . . . . .                                                                                                   | 13 | v1.2.3                                                                                                                                 |    |
| <code>\axp@newtheoremrep</code> : Fix formatting of theorems without notes in some document classes in inline mode . . . . .                                                                                      | 16 | General: More robust redefinition of <code>thebibliography</code> environment, for compatibility with <code>tocbibind</code> . . . . . | 28 |
| <code>\axp@newtheoremrep@definetheorem</code> : Restore predefined theorem counters . . . . .                                                                                                                     | 13 | <code>\axp@forwardlinking</code> : <code>forwardlinking</code> option . . . . .                                                        | 12 |
| <code>\axp@redefinlabels</code> : Fix extra spacing erroneously introduced within the <code>\axp@redefinlabels</code> macro . . . . .                                                                             | 15 | v1.2.4                                                                                                                                 |    |
| <code>\mainbodyrepeatedtheorem</code> : Configurable repeated theorem command . . . . .                                                                                                                           | 15 | <code>appendixproof</code> : Support optional arguments in proofs . . . . .                                                            | 23 |
| <code>proofsketch</code> : Fix proof sketches in inline compilation mode for                                                                                                                                      |    | <code>claimproof</code> : Support for <code>claimproof</code> environment from <code>lipics</code> . . . . .                           | 24 |
|                                                                                                                                                                                                                   |    | v1.2.5                                                                                                                                 |    |
|                                                                                                                                                                                                                   |    | <code>claimproof</code> : Support for locally defined <code>claimproof</code> environment . . . . .                                    | 24 |
|                                                                                                                                                                                                                   |    | <code>axp@forward</code> : Remove forward linking command from PDF bookmarks . . . . .                                                 | 22 |
|                                                                                                                                                                                                                   |    | v1.2.6                                                                                                                                 |    |
|                                                                                                                                                                                                                   |    | General: Fix compilation issues in recent versions of <code>acmart</code> . . . . .                                                    | 16 |
|                                                                                                                                                                                                                   |    | <code>\axp@forward@setup</code> : Support for <code>aliascnt</code> counters . . . . .                                                 | 22 |
|                                                                                                                                                                                                                   |    | <code>\axp@newtheoremrep@definetheorem</code> : Undefine counter printing command to avoid warning . . . . .                           | 13 |

|                                                                                                                                                                                 |    |                                                                                                                                  |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------------------------------------------------------------------------------------------------------------------------------|----|
| v1.3.0                                                                                                                                                                          |    | \axp@apxproofstart to support \appendixproofname                                                                                 | 23 |
| General: Added <code>chapterend</code>                                                                                                                                          |    | \appendixproofname: Added                                                                                                        |    |
| appendix mode                                                                                                                                                                   | 29 | \appendixproofname hook for customizing the title of a proof deferred to the appendix                                            | 15 |
| \axp@section: Detect a section within an \include'd file                                                                                                                        | 25 | \axp@apxproofstart: Helper that consults \appendixproofname at appendix typeset time to auto-title deferred proofs               | 23 |
| Skip blank lines before detecting a section command                                                                                                                             | 25 | \axp@bibengine: bibengine option to select the engine used for separate bibliographies: bibunits (default) or biblatex. See #29. | 12 |
| v1.4.0                                                                                                                                                                          |    | \axp@newtheoremreptmp: Added starred form of \newtheoremrep for proof-deferred theorems that are not restated in the appendix    | 14 |
| General: Documented workarounds for grouping per-section appendices under a single wrapping section. See #56.                                                                   | 8  | \bibliography: Only rebind for bibunits engine. See #29.                                                                         | 28 |
| Flush <code>chapterend</code> appendices at \part, \frontmatter, \mainmatter, and \backmatter boundaries so the last chapter of a part/matter is not emitted under the next one | 29 | axp@newtheoremrep: Write auto-title state for \appendixproofname hook                                                            | 20 |
| Public \flushchapterappendix macro for manually emitting the current chapter's accumulated appendix in <code>chapterend</code> mode                                             | 29 |                                                                                                                                  |    |
| appendixproof: Route deferred proofs through                                                                                                                                    |    |                                                                                                                                  |    |

## Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

|                    |                              |                             |                                      |
|--------------------|------------------------------|-----------------------------|--------------------------------------|
| <b>Symbols</b>     |                              | \@ne                        | 227                                  |
| \@@appendixproof   | 403, 419, 466                | \@nil                       | 527, 529                             |
| \@@axp@newtheorem  | <u>101</u> , <u>157</u>      | \@noligs                    | 239                                  |
| \@@section         | <u>538</u>                   | \@oldbiblabel               | 720, 721                             |
| \@acmplainnotefont | 304, 316, 317                | \@oparg                     | 117, 121, 124                        |
| \@acmttitlebox     | 701                          | \@section                   | <u>538</u>                           |
| \@appendixproof    | 403, 404, 466                | \@strip@tex@ext             | 524                                  |
| \@auxout           | 564                          | \@thmcountersep             | 172                                  |
| \@axp@newtheorem   | <u>101</u> , <u>157</u>      | \_                          | 39, 45, 58, 72, 81, 132              |
| \@begintheorem     | 303                          | \^                          | 403, 436, 465, 466                   |
| \@biblabel         | 720, 721                     |                             |                                      |
| \@bsphack          | 231                          | <b>A</b>                    |                                      |
| \@curr@file        | 524                          | \ACM@origsection            | 174, 175                             |
| \@enddocumenthook  | 588, 697                     | \active                     | 403, 436, 465, 466                   |
| \@esphack          | 244                          | \advance                    | 227                                  |
| \@extra@binfo      | 591                          | \AND                        | 62, 581                              |
| \@ifnextchar       | 403, 466, 508, 510, 512, 537 | \appendix                   | 595                                  |
| \@ifpackageloaded  | 7                            | appendix (option)           | 5                                    |
| \@ifstar           | 101, 113, 539                | \appendixbibliographyprelim |                                      |
| \@namedef          | 591                          |                             | 7, <u>127</u> , 624, 628, <u>719</u> |

|                                               |                                                                                                                                                                              |                                           |                                                                                                                                                                          |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>\appendixbibliographystyle</code>       | 7, <a href="#">127</a> , <a href="#">598</a>                                                                                                                                 | <code>\xpn@newtheoremrep@nostar</code>    | .. <a href="#">113</a> , <a href="#">119</a>                                                                                                                             |
| <code>\appendixclaimproof</code>              | .... <a href="#">466</a> , <a href="#">470</a> , <a href="#">478</a>                                                                                                         | <code>\xpn@newtheoremrep@star</code>      | ... <a href="#">113</a> , <a href="#">115</a>                                                                                                                            |
| <code>\appendixprelim</code>                  | ..... 7, <a href="#">127</a> , <a href="#">594</a>                                                                                                                           | <code>\xpn@newtheoremreptmp</code>        | ..... <a href="#">112</a>                                                                                                                                                |
| <code>\appendixproof</code>                   | .... <a href="#">192</a> , <a href="#">403</a> , <a href="#">440</a> , <a href="#">448</a>                                                                                   | <code>\xpn@nextproofof@label</code>       | .. <a href="#">292</a> , <a href="#">389</a> , <a href="#">393</a>                                                                                                       |
| <code>appendixproof (env.)</code>             | ..... 2, <a href="#">188</a> , <a href="#">403</a>                                                                                                                           | <code>\xpn@nextproofof@type</code>        | .. <a href="#">291</a> , <a href="#">388</a> , <a href="#">392</a>                                                                                                       |
| <code>\appendixproofname</code>               | .... 2, 6, <a href="#">127</a> , <a href="#">392</a>                                                                                                                         | <code>\xpn@noappendixbibliography</code>  | 617, <a href="#">622</a>                                                                                                                                                 |
| <code>\appendixrefname</code>                 | .....                                                                                                                                                                        | <code>\xpn@oldbibliography</code>         | ..... <a href="#">580</a>                                                                                                                                                |
| .....                                         | 6, <a href="#">127</a> , <a href="#">608</a> , <a href="#">610</a> , <a href="#">629</a> , <a href="#">713</a>                                                               | <code>\xpn@oldclaimproof</code>           | .. <a href="#">212</a> , <a href="#">463</a> , <a href="#">472</a> , <a href="#">480</a>                                                                                 |
| <code>\appendixsectionformat</code>           | .. 6, <a href="#">127</a> , <a href="#">568</a>                                                                                                                              | <code>\xpn@oldlabel</code>                | <a href="#">139</a> , <a href="#">142</a> , <a href="#">143</a> , <a href="#">147</a> , <a href="#">150</a> , <a href="#">152</a>                                        |
| <code>\xpn@oldamsthmndproof</code>            | ..... 10, <a href="#">17</a>                                                                                                                                                 | <code>\xpn@oldlabel@in@display</code>     | .....                                                                                                                                                                    |
| <code>\xpn@oldamsthmproof</code>              | ..... 9, <a href="#">15</a> , <a href="#">16</a>                                                                                                                             | .....                                     | <a href="#">140</a> , <a href="#">146</a> , <a href="#">151</a> , <a href="#">153</a>                                                                                    |
| <code>\arabic</code>                          | ..... <a href="#">655</a>                                                                                                                                                    | <code>\xpn@oldproof</code>                | <a href="#">134</a> , <a href="#">210</a> , <a href="#">442</a> , <a href="#">450</a> , <a href="#">501</a> , <a href="#">503</a>                                        |
| <code>\AtBeginDocument</code>                 | <a href="#">175</a> , <a href="#">199</a> , <a href="#">217</a> , <a href="#">461</a> , <a href="#">684</a>                                                                  | <code>xpn@oldproof (env.)</code>          | ..... <a href="#">134</a>                                                                                                                                                |
| <code>\xpn@@@section</code>                   | ..... <a href="#">540</a> , <a href="#">541</a> , <a href="#">542</a>                                                                                                        | <code>\xpn@oldsection</code>              | <a href="#">214</a> , <a href="#">533</a> , <a href="#">537</a> , <a href="#">538</a> , <a href="#">578</a>                                                              |
| <code>\xpn@@claimproof</code>                 | ..... <a href="#">465</a> , <a href="#">475</a>                                                                                                                              | <code>\xpn@oldtableofcontents</code>      | ..... <a href="#">577</a>                                                                                                                                                |
| <code>\xpn@@proof</code>                      | ..... <a href="#">436</a> , <a href="#">445</a>                                                                                                                              | <code>\xpn@oldthebibliography</code>      | ..... <a href="#">612</a>                                                                                                                                                |
| <code>\xpn@@sectionfinishinclude</code>       | ..... <a href="#">507</a>                                                                                                                                                    | <code>\xpn@openchapterfile</code>         | ... <a href="#">202</a> , <a href="#">654</a> , <a href="#">675</a>                                                                                                      |
| <code>\xpn@@sectionskippar</code>             | ..... <a href="#">507</a>                                                                                                                                                    | <code>\xpn@proof</code>                   | ..... <a href="#">436</a> , <a href="#">437</a>                                                                                                                          |
| <code>\xpn@@sectiontestinclude</code>         | ..... <a href="#">507</a>                                                                                                                                                    | <code>\xpn@proofsfile</code>              | ..... <a href="#">199</a> ,                                                                                                                                              |
| <code>\xpn@@sectiontestinput</code>           | ..... <a href="#">507</a>                                                                                                                                                    |                                           | <a href="#">208</a> , <a href="#">237</a> , <a href="#">243</a> , <a href="#">278</a> , <a href="#">280</a> , <a href="#">290</a> , <a href="#">295</a> ,                |
| <code>\xpn@@sectiontestsection</code>         | ..... <a href="#">507</a>                                                                                                                                                    |                                           | <a href="#">299</a> , <a href="#">335</a> , <a href="#">409</a> , <a href="#">413</a> , <a href="#">423</a> , <a href="#">431</a> ,                                      |
| <code>\xpn@appendix</code>                    | <a href="#">24</a> , <a href="#">30</a> , <a href="#">32</a> , <a href="#">34</a> , <a href="#">36</a> , <a href="#">39</a> ,                                                |                                           | <a href="#">494</a> , <a href="#">565</a> , <a href="#">603</a> , <a href="#">656</a> , <a href="#">657</a> , <a href="#">664</a> , <a href="#">665</a>                  |
|                                               | <a href="#">61</a> , <a href="#">138</a> , <a href="#">177</a> , <a href="#">201</a> , <a href="#">218</a> , <a href="#">342</a> , <a href="#">579</a> , <a href="#">638</a> | <code>\xpn@redefinlabels</code>           | <a href="#">136</a> , <a href="#">182</a> , <a href="#">184</a> , <a href="#">328</a>                                                                                    |
| <code>\xpn@apxproofstart</code>               | ..... <a href="#">388</a> , <a href="#">410</a>                                                                                                                              | <code>\xpn@refstar</code>                 | ..... <a href="#">286</a> , <a href="#">288</a> , <a href="#">312</a>                                                                                                    |
| <code>\xpn@apxproofstart@title</code>         | <a href="#">391</a> , <a href="#">395</a> , <a href="#">399</a>                                                                                                              | <code>\xpn@repeqn</code>                  | .....                                                                                                                                                                    |
| <code>\xpn@apxproofstart@withtitle</code>     | <a href="#">398</a> , <a href="#">402</a>                                                                                                                                    | ..                                        | <a href="#">27</a> , <a href="#">67</a> , <a href="#">69</a> , <a href="#">72</a> , <a href="#">81</a> , <a href="#">261</a> , <a href="#">279</a> , <a href="#">334</a> |
| <code>\xpn@beginchapterappendix</code>        | .. <a href="#">640</a> , <a href="#">667</a>                                                                                                                                 | <code>\xpn@rpn@counter</code>             | ..... <a href="#">250</a>                                                                                                                                                |
| <code>\xpn@bibengine</code>                   | .....                                                                                                                                                                        | <code>\xpn@sccounter</code>               | ..... <a href="#">505</a>                                                                                                                                                |
| ..                                            | <a href="#">26</a> , <a href="#">42</a> , <a href="#">43</a> , <a href="#">45</a> , <a href="#">49</a> , <a href="#">581</a> , <a href="#">597</a> , <a href="#">606</a>     | <code>\xpn@section</code>                 | ..... <a href="#">507</a> , <a href="#">567</a>                                                                                                                          |
| <code>\xpn@bibliography</code>                | .....                                                                                                                                                                        | <code>\xpn@ssectitle</code>               | <a href="#">506</a> , <a href="#">543</a> , <a href="#">553</a> , <a href="#">556</a> , <a href="#">571</a> , <a href="#">660</a>                                        |
| ..                                            | <a href="#">25</a> , <a href="#">48</a> , <a href="#">55</a> , <a href="#">58</a> , <a href="#">62</a> , <a href="#">580</a> , <a href="#">596</a> , <a href="#">605</a>     | <code>\xpn@seenreptheorem</code>          | ..... <a href="#">249</a>                                                                                                                                                |
| <code>\xpn@chapterboundary</code>             | ..... <a href="#">672</a> , <a href="#">679</a>                                                                                                                              | <code>\xpn@tmp</code>                     | ..... <a href="#">518</a> , <a href="#">520</a> , <a href="#">524</a> ,                                                                                                  |
| <code>\xpn@chaptercounter</code>              | ..... <a href="#">648</a>                                                                                                                                                    |                                           | <a href="#">525</a> , <a href="#">527</a> , <a href="#">558</a> , <a href="#">564</a> , <a href="#">566</a> , <a href="#">615</a> , <a href="#">616</a>                  |
| <code>\xpn@chapterhasappendix</code>          | ..... <a href="#">648</a>                                                                                                                                                    | <code>\xpn@tmptmp</code>                  | ..... <a href="#">519</a> , <a href="#">520</a> , <a href="#">526</a> , <a href="#">527</a>                                                                              |
| <code>\xpn@claimproof</code>                  | ..... <a href="#">465</a> , <a href="#">467</a>                                                                                                                              | <code>\xpn@unactivateeightbit</code>      | ... <a href="#">222</a> , <a href="#">233</a>                                                                                                                            |
| <code>\xpn@currentxpnfile</code>              | <a href="#">648</a> , <a href="#">655</a> , <a href="#">656</a> , <a href="#">668</a>                                                                                        | <code>\xpn@VerbatimOut</code>             | ..... <a href="#">247</a> , <a href="#">417</a> , <a href="#">426</a>                                                                                                    |
| <code>\xpn@endchapterappendix</code>          | ... <a href="#">640</a> , <a href="#">669</a>                                                                                                                                | <code>xpn@VerbatimOut (env.)</code>       | ..... <a href="#">229</a>                                                                                                                                                |
| <code>\xpn@equation</code>                    | ..... <a href="#">251</a>                                                                                                                                                    | <code>\xpn@with@forward</code>            | ..... <a href="#">266</a> , <a href="#">268</a> , <a href="#">341</a>                                                                                                    |
| <code>\xpn@equationx</code>                   | ..... <a href="#">251</a>                                                                                                                                                    | <code>\xpn@writeproofsfilepreamble</code> | ...                                                                                                                                                                      |
| <code>\xpn@flushchapterappendix</code>        | <a href="#">663</a> , <a href="#">673</a> , <a href="#">698</a>                                                                                                              | .....                                     | <a href="#">207</a> , <a href="#">219</a> , <a href="#">658</a>                                                                                                          |
| <code>\xpn@forward</code>                     | ..... <a href="#">358</a>                                                                                                                                                    | <code>\xpn@writesection</code>            | <a href="#">247</a> , <a href="#">277</a> , <a href="#">407</a> , <a href="#">422</a> , <a href="#">555</a>                                                              |
| <code>\xpn@forward@link</code>                | ..... <a href="#">348</a> , <a href="#">358</a>                                                                                                                              |                                           |                                                                                                                                                                          |
| <code>\xpn@forward@setup</code>               | ..... <a href="#">259</a> , <a href="#">382</a>                                                                                                                              |                                           |                                                                                                                                                                          |
| <code>\xpn@forward@suppress</code>            | ..... <a href="#">75</a>                                                                                                                                                     |                                           |                                                                                                                                                                          |
| <code>\xpn@forward@target</code>              | ... <a href="#">296</a> , <a href="#">327</a> , <a href="#">375</a>                                                                                                          |                                           |                                                                                                                                                                          |
| <code>\xpn@forwardlinking</code>              | ..... <a href="#">28</a> , <a href="#">76</a> , <a href="#">77</a>                                                                                                           |                                           |                                                                                                                                                                          |
| <code>\xpn@hookboundary</code>                | .....                                                                                                                                                                        |                                           |                                                                                                                                                                          |
| .....                                         | <a href="#">678</a> , <a href="#">686</a> , <a href="#">692</a> , <a href="#">693</a> , <a href="#">694</a> , <a href="#">695</a>                                            |                                           |                                                                                                                                                                          |
| <code>\xpn@markchapterhasappendix</code>      | ....                                                                                                                                                                         |                                           |                                                                                                                                                                          |
| .....                                         | <a href="#">245</a> , <a href="#">247</a> , <a href="#">276</a> , <a href="#">406</a> , <a href="#">421</a> , <a href="#">651</a>                                            |                                           |                                                                                                                                                                          |
| <code>\xpn@newtheorem</code>                  | ..... <a href="#">92</a> , <a href="#">101</a> , <a href="#">257</a>                                                                                                         |                                           |                                                                                                                                                                          |
| <code>\xpn@newtheoremrep</code>               | .. <a href="#">124</a> , <a href="#">178</a> , <a href="#">253</a> , <a href="#">253</a>                                                                                     |                                           |                                                                                                                                                                          |
| <code>\xpn@newtheoremrep@definetheorem</code> | .....                                                                                                                                                                        |                                           |                                                                                                                                                                          |
| .....                                         | <a href="#">84</a> , <a href="#">179</a> , <a href="#">254</a>                                                                                                               |                                           |                                                                                                                                                                          |

## B

|                                    |                                                                                             |
|------------------------------------|---------------------------------------------------------------------------------------------|
| <code>\backmatter</code>           | ..... <a href="#">695</a>                                                                   |
| <code>\bfseries</code>             | ..... <a href="#">160</a> , <a href="#">162</a> , <a href="#">165</a> , <a href="#">169</a> |
| <code>\bibcite</code>              | ..... <a href="#">590</a> , <a href="#">633</a>                                             |
| <code>bibengine (option)</code>    | ..... 5                                                                                     |
| <code>\bibliography</code>         | ..... <a href="#">580</a>                                                                   |
| <code>bibliography (option)</code> | ..... 5                                                                                     |
| <code>\bibname</code>              | ..... <a href="#">609</a> , <a href="#">610</a>                                             |
| <code>\BODY</code>                 | ..... <a href="#">182</a> , <a href="#">184</a> , <a href="#">271</a> , <a href="#">275</a> |
| <code>\boolfalse</code>            | ..... <a href="#">356</a> , <a href="#">659</a>                                             |
| <code>\booltrue</code>             | ..... <a href="#">79</a> , <a href="#">343</a> , <a href="#">652</a>                        |

|                            |                                          |
|----------------------------|------------------------------------------|
| <b>C</b>                   |                                          |
| \CatchFileDef              | 518, 525                                 |
| \catcode                   | 225, 403, 436, 465, 466                  |
| \chapter                   | 685, 686, 689                            |
| \chapterappendixprelim     | 7, 640                                   |
| \claimproof                | 212, 462, 463, 465                       |
| claimproof (env.)          | 461                                      |
| \clearpage                 | 131, 640                                 |
| \closeout                  | 603, 665                                 |
| \count@                    | 223, 225, 226, 227                       |
| \csdef                     | 116, 347                                 |
| \csedef                    | 383                                      |
| \csletcs                   | 345, 346, 354                            |
| \csundef                   | 120                                      |
| <b>D</b>                   |                                          |
| \DeclareStringOption       | 24, 25, 26, 27, 28                       |
| \defaultbibliography       | 584                                      |
| \DefineVerbatimEnvironment | 229                                      |
| <b>E</b>                   |                                          |
| \empty                     | 616                                      |
| \endappendixclaimproof     | 486, 491                                 |
| \endappendixproof          | 193, 428, 456                            |
| \endaxp@oldclaimproof      | 213, 464, 488                            |
| \endaxp@oldproof           | 135, 211, 458, 502, 504                  |
| \endaxp@oldthebibliography | 613                                      |
| \endaxp@VerbatimOut        | 248, 430, 493                            |
| \endclaimproof             | 213, 464, 483                            |
| \endinlineproof            | 189, 502                                 |
| \endnestedproof            | 191, 504                                 |
| \endproof                  | 10, 12, 17, 135, 189, 191, 193, 211, 453 |
| \endthebibliography        | 613                                      |
| environments:              |                                          |
| appendixproof              | 2, 188, 403                              |
| axp@oldproof               | 134                                      |
| axp@VerbatimOut            | 229                                      |
| claimproof                 | 461                                      |
| inlineproof                | 4, 188, 501                              |
| nestedproof                | 7, 188, 501                              |
| proof                      | 3, 207, 436                              |
| proofsketch                | 4, 126                                   |
| toappendix                 | 1, 194, 246                              |
| \errmessage                | 39, 45, 58, 72, 81                       |
| \expandonce                | 560, 564, 566, 570, 571                  |
| <b>F</b>                   |                                          |
| \flushchapterappendix      | 7, 672                                   |
| forwardlinking (option)    | 7                                        |
| \frontmatter               | 693                                      |
| \FV@CatCodesHook           | 240                                      |
| \FV@DefineTabOut           | 236                                      |
| \FV@DefineWhiteSpace       | 234                                      |
| \FV@FontScanPrep           | 238                                      |
| \FV@ProcessLine            | 237                                      |
| \FV@Scan                   | 241                                      |
| \FV@Space                  | 235                                      |
| \FVB@axp@VerbatimOut       | 229                                      |
| \FVE@axp@VerbatimOut       | 229                                      |
| <b>G</b>                   |                                          |
| \gdef                      | 291, 292, 388, 389, 617                  |
| <b>H</b>                   |                                          |
| \hspace                    | 721                                      |
| \hyperlink                 | 364                                      |
| \hypertarget               | 377                                      |
| <b>I</b>                   |                                          |
| \ifblank                   | 383                                      |
| \ifbool                    | 285, 666                                 |
| \ifboolexpr                | 362                                      |
| \ifcsdef                   | 256, 294, 353, 363, 383                  |
| \ifcsname                  | 87, 93, 376                              |
| \ifcsundef                 | 344                                      |
| \ifdef                     | 685, 692, 693, 694, 695                  |
| \ifnum                     | 226                                      |
| \include                   | 512, 522, 535                            |
| \inlineproof               | 188, 501                                 |
| inlineproof (env.)         | 4, 188, 501                              |
| \input                     | 510, 517, 604, 668                       |
| \itshape                   | 160, 162, 165, 169, 706                  |
| <b>L</b>                   |                                          |
| \label                     | 139, 141, 150, 152, 266, 268, 550        |
| \label@in@display          | 137, 140, 145, 151, 153                  |
| \lipics@opterrshort        | 718                                      |
| \long                      | 529                                      |
| \loop                      | 224                                      |
| \ltx@ifnextchar@nospace    | 436, 465                                 |
| <b>M</b>                   |                                          |
| \mainbodyrepeatedtheorem   | 6, 127, 270                              |
| \mainmatter                | 694                                      |
| \message                   | 31, 33, 35, 37, 51, 53, 56, 68, 70, 78   |
| <b>N</b>                   |                                          |
| \NAT@testdef               | 589, 632, 633                            |
| \nestedproof               | 190, 503                                 |
| nestedproof (env.)         | 7, 188, 501                              |
| \newbool                   | 75, 358, 649                             |
| \newtheorem                | 104, 106, 110                            |
| \newtheoremrep             | 2, 3, 112                                |
| \newtheoremrep*            | 2, 3                                     |
| \newtheoremstyle           | 703                                      |
| \noproofinappendix         |                                          |
|                            | 8, 194, 255, 385, 434, 497               |
| \nosectionappendix         | 8, 194, 552, 574                         |

|                                         |                                         |                                  |                                                                                          |
|-----------------------------------------|-----------------------------------------|----------------------------------|------------------------------------------------------------------------------------------|
| <b>O</b>                                |                                         |                                  |                                                                                          |
| <code>\onecolumn</code>                 | 131                                     | <code>\section</code>            | 175, 207, 530, 537, 538, 578                                                             |
| <code>\openout</code>                   | 204, 656                                | <code>\set@curr@file</code>      | 523                                                                                      |
| options:                                |                                         | <code>\setcounter</code>         | 262, 281, 282, 336                                                                       |
| appendix                                | 5                                       | <code>\SetupKeyvalOptions</code> | 20                                                                                       |
| bibengine                               | 5                                       | <code>\small</code>              | 721                                                                                      |
| bibliography                            | 5                                       | <code>\spnewtheorem</code>       | 156, 160, 162, 165, 169                                                                  |
| forwardlinking                          | 7                                       | <code>\stepcounter</code>        | 674                                                                                      |
| repeqn                                  | 7                                       | <code>\string</code>             | 681, 689                                                                                 |
| <b>P</b>                                |                                         | <b>T</b>                         |                                                                                          |
| <code>\PackageError</code>              | 63                                      | <code>\tableofcontents</code>    | 577                                                                                      |
| <code>\PackageWarning</code>            | 680, 688                                | <code>\texorpdfstring</code>     | 360, 361                                                                                 |
| <code>\par</code>                       | 508, 516                                | <code>\the</code>                | 305, 320                                                                                 |
| <code>\part</code>                      | 692                                     | <code>\theexp@equation</code>    | 282                                                                                      |
| <code>\pretocmd</code>                  | 255, 303, 588, 679, 697                 | <code>\thebibliography</code>    | 612, 713                                                                                 |
| <code>\printbibliography</code>         | 629                                     | <code>\theopargself</code>       | 300, 301, 314                                                                            |
| <code>\ProcessLocalKeyvalOptions</code> | 29                                      | <code>\theoremstyle</code>       | 712                                                                                      |
| <code>\proof</code>                     | 9, 11, 16, 134, 188, 190, 192, 210, 436 | <code>\thm@notefont</code>       | 305, 319, 320                                                                            |
| proof (env.)                            | 3, 207, 436                             | <code>\thmhead</code>            | 304, 305, 306, 307                                                                       |
| <code>\proofsketch</code>               | 171                                     | <code>toappendix</code> (env.)   | 1, 194, 246                                                                              |
| proofsketch (env.)                      | 4, 126                                  | <code>\togglefalse</code>        | 386, 661                                                                                 |
| <code>\protected@xdef</code>            | 391                                     | <code>\toggletrue</code>         | 272                                                                                      |
| <code>\providecommand</code>            | 128, 137                                | <b>U</b>                         |                                                                                          |
| <code>\putbib</code>                    | 625                                     | <code>\upshape</code>            | 169                                                                                      |
| <b>R</b>                                |                                         | <b>V</b>                         |                                                                                          |
| <code>\ref</code>                       | 286, 288, 393, 561                      | <code>\value</code>              | 262, 281, 336                                                                            |
| <code>\refname</code>                   | 607, 608, 713                           | <b>W</b>                         |                                                                                          |
| <code>\repeat</code>                    | 228                                     | <code>\write</code>              | 208, 237, 243, 278, 280, 290, 295, 299, 335, 409, 413, 423, 431, 494, 564, 565, 657, 664 |
| repeqn (option)                         | 7                                       |                                  |                                                                                          |
| <b>S</b>                                |                                         |                                  |                                                                                          |
| <code>\scshape</code>                   | 708                                     |                                  |                                                                                          |

## References

- [1] Leslie Lamport. *L<sup>A</sup>T<sub>E</sub>X: A Document Preparation System*. Addison–Wesley Pub. Co., Reading, MA, 1986.

## A Proofs for Section 1 (Usage)

*Proof.*

□

**Foobar 2.** *This foobar is repeated in the appendix.*

*Proof.*

□

*Proof.*

□